



OZCObp.com | (800) 800-4900

BUILDING PRODUCTS

volume 12

**GREAT PRODUCTS  
LEAVE LASTING IMPRESSIONS**



**Product | Detailed Specs | Project Plans & Inspiration**



# Galleries, Flip Books & Inspiration Boards

OZCObp.com







# '' Best upgrade ever!

*You will never add a smaller upgrade that will get you bigger attention to your home! These are unique eye candy no matter the style of your home! So very happy I found them, it changed the look of garden gate, fence and wood trim in kitchen into something special. ♡ ♡*

Julia H. ~ Verified Buyer





# Free Project Plans

**OZCO Has A Full Library of FREE Project Plans on Our Website**

**OZCObp.com**

First Browse Our Quick Bill of Material Sheets, Use the BOM as Your Shopping Guide & Once Your Are Ready to Build Download the Detailed Project Plan

**FREE Project Plans**  
Step by Step How To's  
Material & Cut Lists  
**OZCObp.com**




Project #112



Project #576


**CHOOSE FROM OUR VAST LIBRARY OF QUICK BILL OF MATERIALS TO FULL PROJECT PLANS, THOUSANDS OF PICTURES, VIDEOS, SPECS AND GUIDES!**





# We Have A Project For You

With Over A Hundred Plans to Choose From, You Are Sure to Find A Match!



Ready to Start Building? See All Our Plans by Visiting Us Online at [OZCObp.com/project-plans](https://www.ozcobp.com/project-plans)





**OWT-LITE HARDWARE**
**12 - 15**

54207	4X4 Post Base - Laredo Sunset OWT-LITE	13
54208	6X6 Post Base - Laredo Sunset OWT-LITE	13
54209	8X8 Post Base - Laredo Sunset OWT-LITE	13
54210	8" Post to Beam - Laredo Sunset OWT-LITE	13
52107	4X4 Post Base - Ironwood OWT-LITE	14
52108	6X6 Post Base - Ironwood OWT-LITE	14
52109	8X8 Post Base - Ironwood OWT-LITE	14
52110	8" Post to Beam - Ironwood OWT-LITE	14


**TRUSS TIES OWT-LITE**
**16 - 19**

51784	4" 90° Flush Outside - Ironwood	16
56684	4" 90° Flush Outside - Laredo Sunset	16
51799	5" 90° Flush Outside - Ironwood	16
56699	5" 90° Flush Outside - Laredo Sunset	16
51766	"T" Tie Plate 4" - Ironwood	19
56666	"T" Tie Plate 4" - Laredo Sunset	19
51792	"T" Tie Plate 5" - Ironwood	19
56692	"T" Tie Plate 5" - Laredo Sunset	19


**4X4 POST BASES**
**20 - 25**

51707	4X4 Post Base - Ironwood	21
56607	4X4 Post Base - Laredo Sunset	21
56641	2X4 Top Rail Saddle - Laredo Sunset	21
51730	4X4 Post Base Twin Rail Saddle - Ironwood	23
56630	4X4 Post Base Twin Rail Saddle - Laredo Sunset	23
51731	4X4 Post Base Single Rail Saddle - Ironwood	23
56631	4X4 Post Base Single Rail Saddle - Laredo Sunset	23
51789	4X4 Faux Post Base - Ironwood	25
56689	4X4 Faux Post Base - Laredo Sunset	25


**LARGE POST BASES**
**26 - 33**

56604	4X6 Post Base - Laredo Sunset	27
51708	6X6 Post Base - Ironwood	27
56608	6X6 Post Base - Laredo Sunset	27
51772	6X6 Post Base Twin Rail Saddle - Ironwood	29
56672	6X6 Post Base Twin Rail Saddle - Laredo Sunset	29
51771	6X6 Post Base Single Rail Saddle - Ironwood	29
56671	6X6 Post Base Single Rail Saddle - Laredo Sunset	29
51709	8X8 Post Base - Ironwood	31
56609	8X8 Post Base - Laredo Sunset	31
51705	10X10 Post Base - Ironwood	31
56605	10X10 Post Base - Laredo Sunset	31
51790	6X6 Faux Post Base - Ironwood	33
56690	6X6 Faux Post Base - Laredo Sunset	33
51791	8X8 Faux Post Base - Ironwood	33
56691	8X8 Faux Post Base - Laredo Sunset	33


**POST BANDS & ACCESSORIES**
**34 - 37**

51783	4X4 Post Band - Ironwood	35
51786	6X6 Post Band - Ironwood	35
51787	8X8 Post Band - Ironwood	35
57704	Plant Hanger - Post Band Accessory	35
57703	Wine Glass Holder - Post Band Accessory	34
57705	Wine Bottle Holder - Post Band Accessory	37
57706	Shackle Ring - Post Band Accessory	37
57707	Can/Mobile Holder - Post Band Accessory	37
57708	Towel Hook - Post Band Accessory	37


**COLUMN CAPS**
**40 - 41**

51778	4X4 Column Caps - Ironwood	41
56678	4X4 Column Caps - Laredo Sunset	41
51779	6X6 Column Caps - Ironwood	41
56679	6X6 Column Caps - Laredo Sunset	41

**POST TO BEAMS**
**42 - 47**

51775	4" Post to Beam - Ironwood	43
56675	4" Post to Beam - Laredo Sunset	43
51735	6" Post to Beam - Ironwood	43
56635	6" Post to Beam - Laredo Sunset	43
51736	Post to Beam Bolt Offset - Ironwood	45
56636	Post to Beam Bolt Offset - Laredo Sunset	45
51737	Post to Beam Bolt Inline - Ironwood	45
56637	Post to Beam Bolt Inline - Laredo Sunset	45
51710	8" Post to Beam - Ironwood	46
56610	8" Post to Beam - Laredo Sunset	46
51776	8" Post to Beam Flush - Ironwood	47
56676	8" Post to Beam Flush - Laredo Sunset	47
51777	8" Post to Beam Coupler - Ironwood	47
56677	8" Post to Beam Coupler - Laredo Sunset	47


**JOIST & BEAM HANGERS**
**48 - 51**

51739	Joist Hanger Flush 6-8" - Ironwood	48
56639	Joist Hanger Flush 6-8" - Laredo Sunset	48
51714	6" Beam Hangers - Ironwood	49
57714	6" Beam Hangers - Laredo Sunset	49
51769	6-8" Beam Hanger Flush - Ironwood	49
56669	6-8" Beam Hanger Flush - Laredo Sunset	49
51740	Joist Hanger Tab 6-8" - Ironwood	51
56640	Joist Hanger Tab 6-8" - Laredo Sunset	51
51770	8-10" Joist Hanger Flush - Ironwood	51
56670	8-10" Joist Hanger Flush - Laredo Sunset	51


**RAFTER SEAMS**
**52 - 53**

51793	Rafter Seam - Ironwood	53
56693	Rafter Seam - Laredo Sunset	53


**RAFTER CLIPS**
**54 - 57**

51738	2" HV Rafter Clip - Ironwood	54
51717	2" Rafter Clips - Ironwood - (10PK)	55
41717-1	2" Rafter Clips - Ironwood - (2PK)	55
11717-1	2" Rafter Clips - Ironwood - (BULK)	55
56617	2" Rafter Clips - Laredo Sunset	55
46617-1	2" Rafter Clips - Laredo Sunset - (2PK)	55
16617	2" Rafter Clips - Laredo Sunset - (BULK)	55
56638	2" HV Rafter Clip - Laredo Sunset	55
51718	4" Rafter Clips - Ironwood	57
41718-1	4" Rafter Clips - Ironwood (2PK)	57
56618	4" Rafter Clips - Laredo Sunset	57
46618-1	4" Rafter Clips - Laredo Sunset (2PK)	57
51768	4" Flush Inside 45° - Ironwood	57
56668	4" Flush Inside 45° - Laredo Sunset	57

**TRUSS ACCENTS**
**58 - 59**

51711	Truss Accent Plate - Ironwood	59
56611	Truss Accent Plate - Laredo Sunset	59

**TRUSS TIES & ANGLES**
**60 - 63**

56615	Flush Inside 90° Plate	61
56616	Flush Inside 45° Plate	61
56612	"T" Tie Plate	61
57712	"T" Tie Plate Extended	61
57713	Large Outside 90° Plate	62
56614	Flush Outside 90° Plate	62
56613	Butt Joint Flush	62


**TRUSS BASE FANS**
**68 - 73**

56619	Truss Base Fan 8:12 Plate	69
56620	Truss Base Fan 10:12 Plate	69
56644	Truss Base Fan 12:12 Plate	69
56645	Truss Base Fan T Plate	73
56646	Truss Base Fan 3 Point Plate	73


**ACCENTS**
**74 - 75**

56623	Star 2 3/4" OD	75
-------	----------------	----



56624	Star 3 3/8" OD	75
16624	Star 3 3/8" OD - BULK	75
56681	1" Hex Cap Nut	75
56621	1 1/2" Hex Cap Nut - (10PK)	75
44621-1	1 1/2" Hex Cap Nut - (4PK)	75
16621	1 1/2" Hex Cap Nut - (250PK)	75
56622	1 1/4" Hammered Dome Cap Nut - (10PK)	75
16622	1 1/4" Hammered Dome Cap Nut - (250PK)	75



## OWT TIMBER BOLTS

76 - 81

56673	3/4" 1 1/2"-4" Timber Bolts	79
56649	3/4" 4-6" Timber Bolts	79
56650	3/4" 6-8" Timber Bolts	79
56651	3/4" 8-10" Timber Bolts	79
56652	3/4" 10-12" Timber Bolts	79
16673	3/4"x1 1/2"-4" Timber Bolts - BULK	79
16649	3/4" 4-6" Timber Bolts - BULK	79
16650	3/4" 6-8" Timber Bolts - BULK	79
16651	3/4" 8-10" Timber Bolts - BULK	79
16652	3/4" 10-12" Timber Bolts - BULK	79
56680	HD Timber Bolt Washer	79
16680	HD Timber Bolt Washer - BULK	79
56694	1/2" 1 1/2"-4" Timber Bolts	81
56695	1/2" 4-6" Timber Bolts	81
56696	1/2" 6-8" Timber Bolts	81
56697	1/2" 8-10" Timber Bolts	81
56698	1/2" 10-12" Timber Bolts	81



## OWT TIMBER SCREWS

84 - 85

56625	1/4" X 1 3/4" Timber Screws	85
56626	1/4" X 2 3/4" Timber Screws	85
56627	1/4" X 3 3/4" Timber Screws	85
56628	1/4" X 5 3/4" Timber Screws	85
56629	1/4" X 7 1/2" Timber Screws	85
56647	1/4" X 10" Timber Screws	85
56648	1/4" X 12" Timber Screws	85
16625	1/4" X 1 3/4" Timber Screws - BULK	85
16626	1/4" X 2 3/4" Timber Screws - BULK	85
16627	1/4" X 3 3/4" Timber Screws - BULK	85
16628	1/4" X 5 3/4" Timber Screws - BULK	85
16629	1/4" X 7 1/2" Timber Screws - BULK	85
16647	1/4" X 10" Timber Screws - BULK	85
16648	1/4" X 12" Timber Screws - BULK	85



## OWT GATE HARDWARE & ACCESSORIES

86 - 87

56661	T Hinge - (Bulk Single)	86
56662	Strap Hinge - (Bulk Single)	86
56663	Butterfly Hinge - (Bulk Single)	86
56664	Standard Latch w Handle - (Bulk Single)	86
56660	Gate Accent Speak Easy	86
56100-1	16" Carriage House Straps	86
56110-1	9 3/4" Carriage House Handles	86
56658	Gate Accent Scroll	84
56665	Gate Accent Star	84



## FENCE BRACKETS & ACCESSORIES

90 - 91

50110	WAP-OZ Steel 2 Wood Fence Bracket	90
52212	WAP-OZ Steel 2 Wood Fence Bracket (12PK)	90
50111	WAP-OZ Steel 2 Wood Fence Bracket BULK (50PK)	90
50140-1	WAP-238-90 Inside 90°	90
50130-1	WAP-238 Steel 2 Wood Fence Bracket BULK	90
50120-1	Wood 2 Wood Fence Bracket	91
20550	3' Steel Post Extender	91

## POST ANCHORS - WOOD POSTS

96 - 97

30700	MB-24 - (3 1/2" Square)	96
30160	T4-850 - (3 1/2" Square)	96, 102
30180-1	T4-600 - (3 1/2" Square)	96

30380	T46-850 - (3 1/2" X 5 1/2")	96
30400	T6-850 - (5 1/2" Square)	97
<b>POST ANCHORS - STEEL POSTS</b>		<b>98 - 99</b>
30000	GB-700 - (1 1/8" Round)	98
30020	HB-700 - (1 1/8" Round)	98
30040	ISW-850 - (2 3/8" Round)	98
30060-1	IS-600 - (2 3/8" Round)	98
50890	Cap Driving Tool	99
30500	2 3/8" Round Post Base	99

## POST ANCHORS - DECORATIVE POSTS

100 - 101

30300	I2-850 - (2" Square)	100
30320	I2-600 - (2" Square)	100
30340	I25-850 - (2 1/2" Square)	100
30360	I3-850 - (3" Square)	100

## OZ-DECK - FOUNDATION SYSTEM

102 - 103

50880	OZ-Deck Plate	102
30160	T4-850 - (3 1/2" Square)	96, 102
30410	T6-700 - (5 1/2" Square)	102

## OZ-TOOLS

104 - 105

20480	JDK-10 - (Jackhammer Driver Kit)	104
20500	MDK-13 Manual Driving Kit	104
20440	OH-02 - (Oz-Hammer Driver)	104
50740	Post Level	104
40520	HSP-T46 - (Hammer-Spacer) ●	104
40540-1	HSP-T6 - (Hammer-Spacer) ●	104
40580-1	HSP-I25 - (Hammer-Spacer) ○	104
40600-1	HSP-I3 - (Hammer-Spacer) ●	104
40640-1	HSP-HB - (Hammer-Spacer) ●	104
50800	OZ-Puller®	105
50820	Plug Clamp	105
50833	Post Clamp	105



## TELESCOPING SUPPORT ARMS

106 - 109

63308	7-8" Telescoping Support Arm	106
63309	8-9" Telescoping Support Arm	106
63313	10-13" Telescoping Support Arm	106
63318	14-18" Telescoping Support Arm	106
63326	19-26" Telescoping Support Arm	109
63336	27-36" Telescoping Support Arm	109
63348	37-48" Telescoping Support Arm	109

## MOUNTING ACCESSORIES

110 - 111

67705	Counter Plug Mounting Accessory	110
67702	90° Plug Mounting Accessory	110
67708	Floating Arm Plug Mounting Accessory	110
67711	"T" Plug Mounting Accessory	110



**Categories** are indicated by an easy to distinguish **Outer Circle** around a **Typical Installation Graphic** of the product and the header bar on each page.

**Typical Installation Graphics** are the most common installation configuration, but not limited to. **Note:** This is how the product has been tested. OZCO products are versatile and can almost always be used in a variety of projects and scale.





are pending.

g sources print & digital.  
and company are

**CICO BUILDING PRODUCTS**  
THIS  
PRODUCT IS  
**PATENTED**  
BY ONE OR MORE OF THE  
FOLLOWING US PATENTS  
9,177,647 9,010,661  
9,183,874 8,082,702  
9,181,806 9,238,475  
9,027,897 6,461,084  
**OTHER PATENTS PENDING**



- SOCIAL PROOF** ★★★★★

- ## COST SAVING

- ## ADJUSTABLE

- ## HOT DIPPED GALVANIZED

- POWDER COATED**

- ## THICKER STEEL

- ## TESTING / REPORTS

- ## KITS & PACKAGING

















- ## TIMBER BOLTS & SCREWS

- OWT Timber Screws feature performance with strength that is second to none — in a wide range of lengths for all types of projects.
- Screws can be used successfully when the force is predominantly shear load.
- Don't forget to use our Heavy Duty Washer on wood to wood connections for added strength and style.



Each icon below has a detailed description and each is a commonly used term throughout the various OZCO product brands. At any point in this catalog you can refer back to this page for an icon's meaning. These icons are used on product packaging to help identify key features.

<b>ACQ</b>	Approved to Use With ACQ Treated Lumber Aprobado para su uso con ACQ Madera Tratada
<b>G-PC</b>	Bold Design Featuring Powder Coated Galvanized Steel intrépido que ofrece revestido de polvo de acero galvanizado
<b>Al-PC</b>	Bold Design Featuring Powder Coated Aluminum Tornillo Diseñado con Revestidura de Polvo de Aluminio
<b>PGS</b>	Pre-Galvanized Steel Antes de Acero Galvanizado
<b>HDG</b>	Hot Dipped Galvanized Steel Acero Galvanizado en Caliente
<b>PC</b>	Powder Coated Polvo Cubierto
<b>CRC</b>	Corrosion Resistant Coated Recubierto Resistente a la Corrosión
<b>Al</b>	Aluminum Aluminio
	Thickness Espesor
	Hex Head Size Hexagonal de Tamaño de la Cabeza
	Hardware Included Incluye Piezas de Montaje
	Hardware NOT Included NO Incluye Piezas de Montaje
	No Pre-Drilling Required No Pre-Perforación Requerida
	Fasten-Ready Technology™ Fije Tecnología Listo
	Quantity of Pieces Included in Package Cantidad de Piezas Incluidas en el Paquete
	Load-Bearing Carga de Peso Hacia Abajo
	Load-Lift Carga de Peso Para Arriba
	Lateral-Load De Carga-Lateral
	Ultimate Tensile Strength (UTS) Resistencia a la Tracción (UTS)
	Product Has A U.S. Patent El Producto Tiene una Patente de U.S.
	Indicates Bit Tip Size Indica tamaño de la punta

	Hurricane Zone Tested Approved to 120mph El huracán Zona Probado Aprobado a 120mph
	Product Weight Peso del Product
	Adjustable To Fit All Standard "x" Posts (½" to ") Ajustable a Cualquier Poste de "x" Posts (½" to ")
	Exclusive Ledge Design for Critical Connectors Point Exclusivo Diseño de Cornisa para el Punto de Conexión
	Includes Matching Black Corrosion Resistant Fasteners Incluye Juego de Sujetadores Resistentes a la Corrosión.
	For Use With OWT Timber Screws or OWT Timber Bolts Para Uso con OWT Timber Screws y OWT Tornillos Para Vigas
	Pre-Engineered To Match Structural Angles Pre-Diseñado Para Igualar Cualquier Angulo Estructural
	Easily Mounted Anywhere on a Ledge or Beam Montado Fácilmente en Cualquier Lugar en una Repisa o Viga
	Unique "Diamond Eye" Locating Cutout For Quick Installation Único "Diamante con Facil" Localización de rRecorte Para una Instalación Rápida
	Helpful Product Information & Recommendations Información y Recomendaciones útil del Producto
	Fits Seamlessly With a Variety of OZCO Products Se Adapta Sin Problemas a Toda la Variedad de Productos OZCO
	Number of Truss Accents Required for Product Número de Acentador Fijo Requerido para Producto
	Perpendicular Alignment Alineación Perpendicular
	Parallel Alignment Alineación Paralela
	Indicates Decorative Style by Letters & Color Indica Estilo Decorativo por el Color y las Letras
	Case Quantity Cantidad por Caja

coming soon  **ENGINEERING MARKETPLACE**  
www.engineeringexpress.com/ozco/



## The Industry Leading Provider

High quality building & design content for AEC professionals throughout North America.

www.OZCObp.com/CAD-details

Precautions have been taken to ensure the accuracy of the information in this catalog. Product dimensions in this catalog are nominal and are provided for the convenience of our customers. OZCO Building Products reserves the right to make product changes from time to time, without the prior notification in turn changing the information shown within this catalog. It is recommended to call or email customer service to verify specs before starting any project planning.

CAUTION: This hardware may not be suitable for every situation or installation application. A design professional should be consulted to ensure the specific installation application meets local building code requirements.



# Connectors for Wood Projects

- Steel connectors provide the strength needed for construction
- Connectors reduce construction time and improve appearance
- It's easier to meet building code requirements with connectors

**Family & Friends Gather... OZCO Connects**





# More Inspiration from Our Photo Galleries

OZCObp.com



Project #750







# OWT Ornamental Wood Ties LITE POWER

more buying

available in Laredo Sunset & Ironwood



Like the OWT Post base, the OWT Lite is beautifully designed and features some of the same patented features as the Original. It also features a 1 inch offset to meet international residential building code for installation using non-rot-resistant lumber. OWT-Lite products are simplified versions original OWT products designed to meet minimum load requirements, and offered at a lower price point.



## Lite 4"x 4" Post Base


Item #: 54207 (4X4-PB-LSL) Laredo Sunset

### Kit Includes:

- ① 1 Post Base Plate
- ② 2 Decorative Plates
- ③ 4 Hex Cap Nuts
- ④ 4 ⅜ H-Bolt
- ⑤ 4 1 ¾" OWT Timber Screws

3.06 lbs 1.39 kg 

 Adjustable To Fit All Standard 4"x 4" Posts (3½" to 4")



## Lite 6"x 6" Post Base


Item #: 54208 (6X6-PB-LSL) Laredo Sunset

### Kit Includes:

- ① 1 Post Base Plate
- ② 2 Decorative Plates
- ③ 4 Hex Cap Nuts
- ④ 4 ⅜ H-Bolt
- ⑤ 4 2 ¾" OWT Timber Screws

5.22 lbs 2.37 kg 

 Adjustable To Fit All Standard 6"x 6" Posts (5½" to 6")



## Lite 8"x 8" Post Base


Item #: 54209 (8X8-PB-LSL) Laredo Sunset

### Kit Includes:

- ① 1 Post Base Plate
- ② 2 Decorative Plates
- ③ 4 Hex Cap Nuts
- ④ 4 ⅜ H-Bolt
- ⑤ 4 3 ¾" OWT Timber Screws

7.72 lbs 3.5 kg 

 Adjustable To Fit All Standard 8"x 8" Posts (7½" to 8")



## Lite 8" Post 2 Beam


Item #: 54210 (8-P2B-LSL)

### Kit Includes:

- ① 2 Post Ledge Bases
- ② 2 Top Cover Plates
- ③ 8 Hex Cap Nuts
- ④ 4 2 ¾" OWT Timber Screws
- ⑤ 4 3 ¾" OWT Timber Screws

2.89 lbs 1.31 kg 

 Adjustable To Fit All Standard 2" Boards (1½" to 1⅞")



## Lite 4"x 4" Post Base

Item #: 52107 (4X4-PB-IWL) Ironwood


### Kit Includes:

- 1 1 Post Base Plate
- 2 2 Decorative Plates
- 3 4 Hex Cap Nuts
- 4 4 3/8" H-Bolt
- 5 4 1 3/4" OWT Timber Screws

3.06 lbs 1.39 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 1/2" to 4")



## Lite 6"x 6" Post Base

Item #: 52108 (6X6-PB-IWL) Ironwood


### Kit Includes:

- 1 1 Post Base Plate
- 2 2 Decorative Plates
- 3 4 Hex Cap Nuts
- 4 4 3/8" H-Bolt
- 5 4 2 3/4" OWT Timber Screws

5.22 lbs 2.37 kg



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")



## Lite 8"x 8" Post Base

Item #: 52109 (8X8-PB-IWL) Ironwood


### Kit Includes:

- 1 1 Post Base Plate
- 2 2 Decorative Plates
- 3 4 Hex Cap Nuts
- 4 4 3/8" H-Bolt
- 5 4 3 3/4" OWT Timber Screws

7.72 lbs 3.5 kg



Adjustable To Fit All Standard 8"x 8" Posts (7 1/2" to 8")



## Lite 8" Post 2 Beam

Item #: 52110 (8-P2B-IWL) Ironwood



### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 2 3/4" OWT Timber Screws
- 5 4 3 3/4" OWT Timber Screws

2.89 lbs 1.31 kg



Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 7/8")



G-PC

ACQ

CRC



250 lbs  
113 kg



.12"  
3mm





**Project #750**



**Project #751**



## 4" 90° Flush Outside

Item #: 51784 (FO90-HCN-4-IWL)


IW

### Includes:

- ① 1 4" Plate
- ② 4 Hex Cap Nuts
- ③ 4 1¾" OWT Timber Screws

QTY  
1  
pcs

2 lbs .84 kg 3 ¼"



## 4" 90° Flush Outside

Item #: 56684 (FO90-HCN-4-LSL)


LS

### Includes:

- ① 1 4" Plate
- ② 4 Hex Cap Nuts
- ③ 4 1¾" OWT Timber Screws

QTY  
1  
pcs

2 lbs .84 kg 3 ¼"



## 5" 90° Flush Outside

Item #: 51799 (FO90-HCN-5-IWL)


IW

### Includes:

- ① 1 5" Plate
- ② 4 Hex Cap Nuts
- ③ 4 1¾" OWT Timber Screws

QTY  
1  
pcs

3.42 lbs 1.55 kg 3 ¼"



## 5" 90° Flush Outside

Item #: 56699 (FO90-HCN-5-LSL)


LS

### Includes:

- ① 1 5" Plate
- ② 4 Hex Cap Nuts
- ③ 4 1¾" OWT Timber Screws


QTY  
1  
pcs

3.42 lbs 1.55 kg 3 ¼"



All OWT-Lite products are available in OWT original for projects requiring more connection power.





Project #346







### "T" Tie Plate 4"

Item #: 51766 (TTP-HCN-4-IWL)

**Includes:**


- ① 1 4" Plate
- ② 6 Hex Cap Nuts
- ③ 6 1¾" OWT Timber Screws

2.38 lbs 1.078 kg



**IW**

**QTY**  
**1**  
**pcs**



### "T" Tie Plate 4"

Item #: 56666 (TTP-HCN-4-IWL)

**Includes:**


- ① 1 4" Plate
- ② 6 Hex Cap Nuts
- ③ 6 1¾" OWT Timber Screws

2.38 lbs 1.078 kg



**LS**

**QTY**  
**1**  
**pcs**



### "T" Tie Plate 5"

Item #: 51792 (TTP-HCN-5-IWL)

**Includes:**


- ① 1 5" Plate
- ② 6 Hex Cap Nuts
- ③ 6 1¾" OWT Timber Screws

4.5 lbs 2.04 kg



**IW**

**QTY**  
**1**  
**pcs**



### "T" Tie Plate 5"

Item #: 56692 (TTP-HCN-5-LSL)

**Includes:**


- ① 1 5" Plate
- ② 6 Hex Cap Nuts
- ③ 6 1¾" OWT Timber Screws

4.5 lbs 2.04 kg



**LS**

**QTY**  
**1**  
**pcs**



All OWT-Lite products are available in OWT original for projects requiring more connection power.



PGS

ACQ

CRC


3/4

1/2

.12"

3mm







## 4"x 4" Post Base Kit

Item #: 51707 (4X4-PB-IW) Ironwood



### Kit Includes:

- ① 1 Post Base Plate
- ② 4 Decorative Plates
- ③ 8 Hex Cap Nuts
- ④ 8 1¾" OWT Timber Screws



6120 lbs ↓ 2790 kg    1978 lbs ↑ 896 kg    513 lbs ↔ 232 kg

.20" 5mm    4.3 lbs 1.95 kg



Adjustable To Fit All Standard 4"x 4" Posts (3½" to 4")

## 4"x 4" Post Base Kit

Item #: 56607 (4X4-PB-LS) Laredo Sunset



### Kit Includes:

- ① 1 Post Base Plate
- ② 4 Decorative Plates
- ③ 8 Hex Cap Nuts
- ④ 8 1¾" OWT Timber Screws



6120 lbs ↓ 2790 kg    1978 lbs ↑ 896 kg    513 lbs ↔ 232 kg

.20" 5mm    4.3 lbs 1.95 kg





Adjustable To Fit All Standard 4"x 4" Posts (3½" to 4")

## Sharp Point Self Tapping Timber Screws

#12 x 1-¼ Torx HD



- Requires a #T25 Torx bit
- Exclusive high friction design
- No pre-drilling required





## 2"x 4" Rail Saddle

Item #: 56641 (2X4-TR)

### Kit Includes:

- ① 2 Rail Saddles
- ② 12 #12 x 1-¼ Torx HD (T25)

.08" 2mm    4.3 lbs 1.95 kg    10



Post Base installation in concrete, use a ¼" bolt through the center base hole.



G-PC

ACQ

CRC



250 lbs  
113 kg









## 4"x4" Post Base




Plus (2) 2x4 Saddles  
Item #: 51730 (4X4-TRS-IW)

### Kit Includes:

- 1 Base Plate
- 2 Rail Saddle Plates
- 2 Standard Plates
- 6 Hex Cap Nuts
- 6 1 $\frac{3}{4}$ " OWT Timber Screws
- 12 #12 x 1- $\frac{1}{4}$  Torx HD (T25)



4.18 lbs 1.90 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 $\frac{1}{2}$ " to 4")

## 4"x4" Post Base




Plus (2) 2x4 Saddles  
Item #: 56630 (4X4-TRS-LS)

### Kit Includes:

- 1 Base Plate
- 2 Rail Saddle Plates
- 2 Standard Plates
- 6 Hex Cap Nuts
- 6 1 $\frac{3}{4}$ " OWT Timber Screws
- 12 #12 x 1- $\frac{1}{4}$  Torx HD (T25)



4.6 lbs 2.08 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 $\frac{1}{2}$ " to 4")

## 4"x4" Post Base



Plus (1) 2x4 Saddle  
Item #: 51731 (4X4-SRS-IW)

### Kit Includes:

- 1 Base Plate
- 1 Rail Saddle Plate
- 3 Standard Plates
- 7 Hex Cap Nuts
- 7 1 $\frac{3}{4}$ " OWT Timber Screws
- 6 #12 x 1- $\frac{1}{4}$  Torx HD (T25)



3.9 lbs 1.78 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 $\frac{1}{2}$ " to 4")

## 4"x4" Post Base




Plus (1) 2x4 Saddle  
Item #: 56631 (4X4-SRS-LS)

### Kit Includes:

- 1 Base Plate
- 1 Rail Saddle Plate
- 3 Standard Plates
- 7 Hex Cap Nuts
- 7 1 $\frac{3}{4}$ " OWT Timber Screws
- 6 #12 x 1- $\frac{1}{4}$  Torx HD (T25)



4.3 lbs 1.95 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 $\frac{1}{2}$ " to 4")



G-PC

ACQ

CRC




250 lbs  
113 kg



.20"  
5mm



# Project #304 — Pergola Deck







## 4x4 Post Base Kit

Easy to install, good quality product. Have had many inquiries about the product plus compliments. Will use again. Jason ~ LaVergne, TN

### 4x4 Faux Post Base Plates



IW

Item #: 51789 (4X4-FPB-IW)

#### Kit Includes:

- 1 4 4x4 Decorative Plates
- 2 8 Hex Cap Nuts
- 3 8 1 3/4" OWT Timber Screws

7.44 lbs 3.37 kg



### 4x4 Faux Post Base Plates



LS

Item #: 56689 (4X4-FPB-LS)

#### Kit Includes:

- 1 4 4x4 Decorative Plates
- 2 8 Hex Cap Nuts
- 3 8 1 3/4" OWT Timber Screws

7.44 lbs 3.37 kg



Faux Post Base kits work great on deck posts and are easy to install or retrofit onto existing posts.



Scan to Watch This Product's Video



G-PC

ACQ

CRC



.20" 5mm








**Looking For Truss Ties, Fans & Angles?** Here are the pages you can find them on.




pages 16-19, 60-63



pages 60-63



pages 68-73



pages 54-57



page 59

## 4"x 6" Post Base Kit

Item #: 56604 (4X6-PB-LS)



### Kit Includes:

- 1 Post Base Plate
- 2 6" Decorative Plates
- 2 4" Decorative Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws

7.91 lbs 3.58 kg

LS

4



Adjustable To Fit All Standard 4"x 6" Posts (3 1/2" to 4" x 5 1/2" to 6")

## 6"x 6" Post Base Kit

Item #: 51708 (6X6-PB-IW)



### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws

10 lbs 4.58 kg

IW

4



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")

## 6"x 6" Post Base Kit

Item #: 56608 (6X6-PB-LS)



### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws

10 lbs 4.58 kg

LS

4



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")



Post Base installation in concrete, use a 1/4" bolt through the center base hole.



Scan to Watch This Product's Video



G-PC

ACQ

CRC







Project #342





## 6"x6" Post Base

Plus (2) 2x4 Saddles


Item #: 51772 (6X6-TRS-IW)

### Kit Includes:

- 1 Base Plate
- 2 Rail Saddle Plates
- 2 Standard Plates
- 8 Hex Cap Nuts
- 8 2¾" OWT Timber Screws
- 12 #12 x 1-¼ Torx HD (T25)



10.10 lbs 4.58 kg



Adjustable To Fit All Standard 6"x 6" Posts (5½" to 6")

## 6"x6" Post Base

Plus (2) 2x4 Saddles


Item #: 56672 (6X6-TRS-LS)

### Kit Includes:

- 1 Base Plate
- 2 Rail Saddle Plates
- 2 Standard Plates
- 8 Hex Cap Nuts
- 8 2¾" OWT Timber Screws
- 12 #12 x 1-¼ Torx HD (T25)



9.34 lbs 4.24 kg



Adjustable To Fit All Standard 6"x 6" Posts (5½" to 6")

## 6"x6" Post Base

Plus (1) 2x4 Saddle



Item #: 51771 (6X6-SRS-IW)

### Kit Includes:

- 1 Base Plate
- 1 Rail Saddle Plate
- 3 Standard Plates
- 8 Hex Cap Nuts
- 8 2¾" OWT Timber Screws
- 6 #12 x 1-¼ Torx HD (T25)



10.10 lbs 4.58 kg



Adjustable To Fit All Standard 6"x 6" Posts (5½" to 6")

## 6"x6" Post Base

Plus (1) 2x4 Saddle


Item #: 56671 (6X6-SRS-LS)

### Kit Includes:

- 1 Base Plate
- 1 Rail Saddle Plate
- 3 Standard Plates
- 8 Hex Cap Nuts
- 8 2¾" OWT Timber Screws
- 6 #12 x 1-¼ Torx HD (T25)



10.10 lbs 4.58 kg



Adjustable To Fit All Standard 6"x 6" Posts (5½" to 6")



G-PC

ACQ

CRC







**Project #567**





## 8"x 8" Post Base Kit

Item #: 51709 (8X8-PB-IW)

### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 8 Hex Cap Nuts
- 8 3/4" OWT Timber Screws

15.8 lbs 7.16 kg .20" 5mm 250 lbs 113 kg



Adjustable To Fit All Standard 8"x 8" Posts (7 1/2" to 8")



## 8"x 8" Post Base Kit

Item #: 56609 (8X8-PB-LS)

### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 8 Hex Cap Nuts
- 8 3/4" OWT Timber Screws

15.8 lbs 7.16 kg .20" 5mm 250 lbs 113 kg



Adjustable To Fit All Standard 8"x 8" Posts (7 1/2" to 8")



## 10"x 10" Post Base Kit

Item #: 51705 (10X10-PB-IW)

### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 16 Hex Cap Nuts
- 16 3/4" OWT Timber Screws

24.75 lbs 11.22 kg .20" 5mm 250 lbs 113 kg



Adjustable To Fit All Standard 10"x 10" Posts (9 1/2" to 10")



## 10"x 10" Post Base Kit

Item #: 56605 (10X10-PB-LS)

### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 16 Hex Cap Nuts
- 16 3/4" OWT Timber Screws

24.75 lbs 11.22 kg .20" 5mm 250 lbs 113 kg



Adjustable To Fit All Standard 10"x 10" Posts (9 1/2" to 10")



Post Base installation in concrete, use a 7/16" bolt through the center base hole.



Scan to Watch This Product's Video



G-PC


ACQ

CRC



.20" 5mm







## 6x6 Faux Post Base Plates



**IW**

Item #: 51790 (6X6-FPB-IW)

### Kit Includes:

- ① 4 6x6 Decorative Plates
- ② 8 Hex Cap Nuts
- ③ 8 1 3/4" OWT Timber Screws

7.44 lbs 3.37 kg



## 6x6 Faux Post Base Plates



**LS**

Item #: 56690 (6X6-FPB-LS)

### Kit Includes:

- ① 4 6x6 Decorative Plates
- ② 8 Hex Cap Nuts
- ③ 8 1 3/4" OWT Timber Screws

7.44 lbs 3.37 kg



## 8x8 Faux Post Base Plates



**IW**

Item #: 51791 (8X8-FPB-IW)

### Kit Includes:

- ① 4 8x8 Decorative Plates
- ② 8 Hex Cap Nuts
- ③ 8 1 3/4" OWT Timber Screws

11.54 lbs 5.23 kg



## 8x8 Faux Post Base Plates



**LS**

Item #: 56691 (8X8-FPB-LS)

### Kit Includes:

- ① 4 8x8 Decorative Plates
- ② 8 Hex Cap Nuts
- ③ 8 1 3/4" OWT Timber Screws

11.54 lbs 5.23 kg



Faux Post Base kits work great on deck posts and are easy to install or retrofit onto existing posts.



Scan to Watch This Product's Video



G-PC

ACQ

CRC



.20" 5mm






## Wine Glass Holder

Item #: 57703 (HA-WGH)

### Kit Includes:

- ① 1 Wine Glass Holder
- ② 2 1/4"-20 Button Head Screws

.35 lbs  .16 kg  10





## 4"x 4" Post Band

Item #: 51783 (4X4-BND-IW)

IW

### Kit Includes:



- ① 1 4x4 Clamp Assembly
- ② 4 Screws, ¼"-20x1½, Stainless Steel
- ③ 8 Plug, Metal Round for ¼" hole

1.85 lbs .84 kg 7 .20" 5mm

Adjustable To Fit All Standard 4"x 4" Posts (3½" to 4")

### Single BULK 8pcs

Item #: 11783-1 (4-IW-BND-B)



## 6"x 6" Post Band

Item #: 51786 (6x6-BND-IW)

IW

### Kit Includes:


- ① 1 6x6 Clamp Assembly
- ② 4 Screws, ¼"-20x1½, Stainless Steel
- ③ 8 Plug, Metal Round for ¼" hole

2.34 lbs 1.06 kg 7 .20" 5mm

Adjustable To Fit All Standard 6"x 6" Posts (5½" to 6")

### Single BULK 8pcs

Item #: 11786-1 (6-IW-BND-B)



## 8"x 8" Post Band

Item #: 51787 (8X8-BND-IW)

IW

### Kit Includes:


- ① 1 8x8 Clamp Assembly
- ② 4 Screws, ¼"-20x1½, Stainless Steel
- ③ 8 Plug, Metal Round for ¼" hole

2.8 lbs 1.27 kg 7 .20" 5mm

Adjustable To Fit All Standard 8"x 8" Posts (7½" to 8")

### Single BULK 8pcs

Item #: 11787-1 (8-IW-BND-B)




## Plant Hanger

Item #: 57704 (HA-PH)

### Kit Includes:

- ① 2 Plant Hanger
- ② 4 1/4"-20 Button Head Screws


.83 lbs .38 kg 10







Project #630






## Wine Bottle Holder

Item #: 57705 (HA-WBH)

### Kit Includes:

- ① 1 Wine Bottle Holder
- ② 1 Cap & Wick
- ③ 4 1/4"-20 Button Head Screws

2.43 lbs 1.10 kg 10




## Shackle

Item #: 57706 (HA-SHK)

### Kit Includes:

- ① 2 Shackles
- ② 4 1/4"-20 Button Head Screws

.29 lbs .13 kg 20




## Can / Cell Phone Holder

Item #: 57707 (HA-DCH)

### Kit Includes:

- ① 1 Can / Cell Holder
- ② 2 1/4"-20 Button Head Screws

.85 lbs .39 kg 8




## Towel Hook

Item #: 57708 (HA-TH)

### Kit Includes:

- ① 2 Towel Hook
- ② 4 1/4"-20 Button Head Screws

.27 lbs .12 kg 20



G-PC

ACQ

CRC

















## 4"x 4" Column Cap

Item #: 51778 (4X4-CAP-IW)

**IW**



### Kit Includes:

- ① 4 Plates
- ② 1 Base Plate
- ③ 6 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ④ 8 Hex Cap Nuts
- ⑤ 8 1 ¾" OWT Timber Screws

3.64 lbs 1.65 kg



Can be used with Two 2X's or a Full 4X piece of lumber and can be adjusted from 3" up to 4".



## 4"x 4" Column Cap

Item #: 56678 (4X4-CAP-LS)

**LS**



### Kit Includes:

- ① 4 Plates
- ② 1 Base Plate
- ③ 6 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ④ 8 Hex Cap Nuts
- ⑤ 8 1 ¾" OWT Timber Screws

3.57 lbs 1.62 kg



Can be used with Two 2X's or a Full 4X piece of lumber and can be adjusted from 3" up to 4".



## 6"x 6" Column Cap

Item #: 51779 (6X6-CAP-IW)

**IW**



### Kit Includes:

- ① 4 Plates
- ② 1 Base Plate
- ③ 6 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ④ 8 Hex Cap Nuts
- ⑤ 8 1 ¾" OWT Timber Screws

5.91 lbs 2.68 kg



Can be used with Three 2X's or a Full 6X piece of lumber and can be adjusted from 4½" up to 6".



## 6"x 6" Column Cap

Item #: 56679 (6X6-CAP-LS)

**LS**



### Kit Includes:

- ① 4 Plates
- ② 1 Base Plate
- ③ 6 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ④ 8 Hex Cap Nuts
- ⑤ 8 1 ¾" OWT Timber Screws

5.61 lbs 2.55 kg



Can be used with Three 2X's or a Full 6X piece of lumber and can be adjusted from 4½" up to 6".







## ❖❖ OZCO Post to Beams

*Excellent quality, strong & beautiful finishing touch! ❖❖*

John W. ~ Verified Buyer



### 2" Standard Rafter Clip

Item #: 56617 (RC-LS-2)

Rafter clips are a fantastic product and never easier to install using the unique "diamond eye" locating cutout. [See Page 49](#)



**Project #296**



## 4" Post to Beam

Item #: 51775 (P2B-IW-4)

**IW**

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 1 3/4" OWT Timber Screws
- 5 4 3 3/4" OWT Timber Screws



$\frac{.12"}{3mm}$

2.49 lbs

1.13 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## 4" Post to Beam

Item #: 56675 (P2B-LS-4)

**LS**



### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 1 3/4" OWT Timber Screws
- 5 4 3 3/4" OWT Timber Screws

$\frac{.12"}{3mm}$



Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 7/8")



## 6" Post to Beam

Item #: 51735 (P2B-IW-6)

**IW**

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 3 3/4" OWT Timber Screws
- 5 4 2 3/4" OWT Timber Screws



$\frac{.20"}{5mm}$

6.7 lbs

3.04 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## 6" Post to Beam

Item #: 56635 (P2B-LS-6)

**LS**


### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 3 3/4" OWT Timber Screws
- 5 4 2 3/4" OWT Timber Screws

$\frac{.20"}{5mm}$



Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 7/8")



Some Post to Beams require the patented technology of the OWT Timber Bolts for proper installation, see page 76-81.



G-PC


ACQ

CRC


9/4









## OWT Timber Bolts Typical Installation Options Post To Beams




**Bolt Offset**



**Bolt Inline**




**Flush**




**Coupler**


## OWT Timber Screws Typical Installation Options Post To Beams & Hex Cap Nuts




**4"**




**6"**



**8"**



**Flush**



**Coupler**

The Post to Beams (see pages 37–41) are designed to accommodate the OWT Timber Bolts or Timber Screws when connecting the top plate. The Hex Cap Nuts & Screws included are for the 2 bottom plates. **The Timber Screws, Hex Cap Nuts and OWT Timber Bolts are All SOLD SEPARATELY** to allow for varying size lumber depending on your particular project needs. OWT Timber Bolts are adjustable up to 2 inches, range in size from 1½-4" up to 10-12". See pages 70-79 for all available fasteners and lengths.



## Bolt Offset


Item #: 51736 (P2B-BO-IW)

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Plates, 1 Bolt Offset & 1 Inline
- 3 4 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws

7.8 lbs 3.53 kg

Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## Bolt Offset



Item #: 56636 (P2B-BO-LS)

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Plates, 1 Bolt Offset & 1 Inline
- 3 4 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws

7.8 lbs 3.53 kg

Adjustable To Fit All Standard 2" Boards (1½" to 1¾")



**ADDITIONAL Timber Bolts or Screws Are REQUIRED & SOLD SEPARATELY**

See Pages 70-79 for all available lengths.

## Bolt Inline


Item #: 51737 (P2B-BI-IW)

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Plates, Bolt Inline
- 3 4 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws

7.8 lbs 3.53 kg

Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## Bolt Inline


Item #: 56637 (P2B-BI-LS)

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Plates, Bolt Inline
- 3 4 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws

7.8 lbs 3.53 kg

Adjustable To Fit All Standard 2" Boards (1½" to 1¾")



**OWT Timber Bolts or Screws**  
Are **REQUIRED** and **SOLD SEPARATELY**.  
See pages 76-85 for all available lengths.



G-PC

ACQ

CRC

¾"

¾"

¾"

20"  
5mm



## 8" Post to Beam

Item #: 51710 (P2B-IW-8)

IW

### Kit Includes:


- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 3 $\frac{3}{4}$ " OWT Timber Screws
- 5 4 2 $\frac{3}{4}$ " OWT Timber Screws

7.8 lbs

3.53 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## 8" Post to Beam

Item #: 56610 (P2B-LS-8)

LS

### Kit Includes:



- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 3 $\frac{3}{4}$ " OWT Timber Screws
- 5 4 2 $\frac{3}{4}$ " OWT Timber Screws

7.8 lbs

3.53 kg



Adjustable To Fit All Standard 2" Boards (1 $\frac{1}{2}$ " to 1 $\frac{7}{8}$ ")



## Post to Beam - Amazing

What a nice way to finish off my deck and pergola with these ties. Not only are they a nice accent but they aide in the installation of the beams. Robert A. ~ Verified Buyer




## 8" Post to Beam Flush

Item #: 51776 (P2B-IW-8F)

Kit Includes:

- 1 2 Post Beam Plates
- 2 4 Hex Cap Nuts
- 3 4 3/4" OWT Timber Screws

6.38 lbs 2.89 kg




## 8" Post to Beam Flush

Item #: 56676 (P2B-LS-8F)

Kit Includes:

- 1 2 Post Beam Plates
- 2 4 Hex Cap Nuts
- 3 4 3/4" OWT Timber Screws

6.38 lbs 2.89 kg



**ADDITIONAL Timber Bolts or Screws Are REQUIRED & SOLD SEPARATELY**

See Pages 70-79 for all available lengths.



## 8" Post to Beam Coupler

Item #: 51777 (P2B-SB-IW)


Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 4 Hex Cap Nuts
- 4 4 2 3/4" OWT Timber Screws

7.54 lbs 3.42 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## 8" Post to Beam Coupler

Item #: 56677 (P2B-SB-LS)


Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 4 Hex Cap Nuts
- 4 4 2 3/4" OWT Timber Screws

7.54 lbs 3.42 kg



Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 7/8")



**OWT Timber Bolts or Screws**  
Are **REQUIRED** and **SOLD SEPARATELY**.  
See pages 76-85 for all available lengths.



G-PC

ACQ

CRC

3/4"

3/4"

3/4"

.20" 5mm



## 6-8" Joist Hanger Flush

Item #: 51739 (JHF-68-IW)


IW

### Kit Includes:


- ① 6 Hanger Connections
- ② 54 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

3.9 lbs 1.77 kg .0625" 1.6mm 7

Adjustable To Fit All Standard 2" Boards (1.45" to 2")



QTY  
6  
pcs



## 6-8" Joist Hanger Flush

Item #: 56639 (JHF-68-LS)


LS

### Kit Includes:

- ① 6 Hanger Connections
- ② 54 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

3.9 lbs 1.77 kg .0625" 1.6mm 7

Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 3/4")



QTY  
6  
pcs



## Joist Hangers Just what I needed!

I'm so happy I found these fasteners for our pergola. I was searching online for something with a little more panache than galvanized hangers and fasteners and I found these. They're heavy duty, easy to assemble and they increase the value and look of our pergola. I couldn't be happier to have these attached to our house. Gary S. ~ Verified Buyer





## 6" Beam Hanger

Item #: 51714 (6-BH-IW)


**IW**

### Kit Includes:


- ① 2 Hanger Connections
- ② 56 2 $\frac{3}{4}$ " OWT Timber Screws
- ③ 12 Hex Cap Nuts

10.25 lbs 4.65 kg  $\frac{.12"}{3mm}$  2

Adjustable To Fit All Standard 6" Boards (5.5" to 6")



QTY  
**2**  
pcs



## 6" Beam Hanger

Item #: 57714 (6-BH-LS)


**LS**

### Kit Includes:

- ① 2 Hanger Connections
- ② 56 2 $\frac{3}{4}$ " OWT Timber Screws
- ③ 12 Hex Cap Nuts

10.25 lbs 4.65 kg  $\frac{.12"}{3mm}$  2

Adjustable To Fit All Standard 6" Boards (5.5" to 6")



QTY  
**2**  
pcs



## 6-8" Beam Hanger Flush

Item #: 51769 (BHF-68-IW)


**IW**

### Kit Includes:


- ① 4 Hanger Connections
- ② 40 OWT-Lock #12 x 1- $\frac{1}{4}$  Hex HD Sharp Point ( $\frac{1}{4}$ " Hex)
- ③ 16 Hex Cap Nuts
- ④ 64 1 $\frac{3}{4}$ " OWT Timber Screws

12.32 lbs 5.58 kg  $\frac{.12"}{3mm}$   $\frac{3}{8}$  4

Adjustable To Fit All Standard 4" Boards ( $3\frac{1}{2}$ " to 4")



QTY  
**4**  
pcs



## 6-8" Beam Hanger Flush

Item #: 56669 (BHF-68-LS)


**LS**

### Kit Includes:

- ① 4 Hanger Connections
- ② 40 OWT-Lock #12 x 1- $\frac{1}{4}$  Hex HD Sharp Point ( $\frac{1}{4}$ " Hex)
- ③ 16 Hex Cap Nuts
- ④ 64 1 $\frac{3}{4}$ " OWT Timber Screws

$\frac{.12"}{3mm}$   $\frac{3}{8}$  4

Adjustable To Fit All Standard 4" Boards ( $3\frac{1}{2}$ " to  $3\frac{3}{4}$ " )



QTY  
**4**  
pcs



Testing Reports, Instructions  
& More Detail Specs

Visit the **ozco** website  
[OZCOBuildingProducts.com](http://OZCOBuildingProducts.com)









## 6-8" Joist Hanger Tab

Item #: 51740 (JHT-68-IW)

### Kit Includes:


- ① 6 Hanger Connections
- ② 60 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

4.2 lbs  
1.9 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")

**IW**



QTY  
**6**  
pcs

## 6-8" Joist Hanger Tab

Item #: 56640 (JHT-68-LS)


### Kit Includes:

- ① 6 Hanger Connections
- ② 60 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)



Adjustable To Fit All Standard 2" Boards (1½" to 1⅞")

**LS**



QTY  
**6**  
pcs

## 8-10" Joist Hanger Flush

Item #: 51770 (JHF-810-IW)

### Kit Includes:


- ① 4 Hanger Connections
- ② 76 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

4.04 lbs  
1.83 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")

**IW**



QTY  
**4**  
pcs

## 8-10" Joist Hanger Flush

Item #: 56670 (JHF-810-LS)

### Kit Includes:


- ① 4 Hanger Connections
- ② 76 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

4.04 lbs  
1.83 kg



Adjustable To Fit All Standard 2" Boards (1½" to 1⅞")

**LS**



QTY  
**4**  
pcs



- Requires a ¼" hex driver bit
- Exclusive high friction design
- No pre-drilling required



.0625"  
1.6mm





Project #309

RAFTER CREATE  
SEAMS curve APPEAL





The OWT Rafter Seam™ is a specialty connector that is the first of its kind. Although it is useful for many types of connections one of the most common is to join rafters for curved top pergolas. A curved top structure is a real conversation piece, but conventional construction techniques have major limitations.

So how does it work? Start by cutting the rafters into the shape that you would like. Position the two boards tightly together, then position Rafter Seam™, using our stamped hash marks to align the seam. Install screws on both sides of the joint. Then tighten the bolt to snug the two pieces together. Repeat this process for the other side of the rafter with the bolt facing the opposite direction.



## Rafter Seam


Item #: 51793 (RS-IW)

**IW**


### Kit Includes:

- ① 2 Assembly Plate
- ② 16 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ③ 2 Tension Bolt
- ④ 2 Assembly Base

2.22 lbs 1.01 kg 11



QTY  
**2**  
pcs



## Rafter Seam


Item #: 56693 (RS-LS)

**LS**


### Kit Includes:

- ① 2 Assembly Plate
- ② 16 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ③ 2 Tension Bolt
- ④ 2 Assembly Base

2.01 lbs .91 kg 11



QTY  
**2**  
pcs







## 2" Rafter Clips, Post Bases

We recently installed a new arbor/patio cover in our back yard. We heard about the OZCO line through a friend and thought we would try it out. We were on the fence about trying it due to the added costs, but we decided to add them to our patio based on good reviews from some past clients. Adding these to our patio was the **BEST** decision we made! They took our patio from "nice" to "amazing" and a real show-stopper. Not only do they add reinforced structure, but they look great and really add an extra touch to take your patio to the next level. We've already received so many compliments and I would highly recommend investing in the parts when you build your patio. The hardware looks great and we could not be happier. 🌟🌟

~ Online Customer

### 2" High Velocity Rafter Clips



Item #: 51738 (RC-IW-HV-2)

LS

#### Kit Includes:

- ① 10 2" Rafter Clips
- ② 60 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

2.6 lbs 1.18 kg 8








**new**

- Requires a 1/4" hex driver bit
- Exclusive high friction design
- No pre-drilling required

1/4" Driver Bit Required



#12 x 1-1/4 Hex HD Sharp Point



.21" (5mm)

1 1/4" (32mm)

## 2" Standard Rafter Clips

Item #: 51717 (RC-IW-2) 10pk


Item #: 41717-1 (RC-2-IW-2PK) 2pk

10 Pack Kit Includes:

- 10 2" Rafter Clips
- 20 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

1.96 lbs .86 kg 8

**IW**



QTY 10 pcs



Single BULK 100 pcs

Item #: 11717-1 (RC-IW-B)

## 2" Standard Rafter Clips

Item #: 56617 (RC-LS-2) 10pk


Item #: 46617-1 (RC-LS-2PK) 2pk

Kit Includes:


- 10 2" Rafter Clips
- 20 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

1.96 lbs .86 kg 8

**LS**



QTY 10 pcs



Single BULK 100 pcs

Item #: 16617 (RC-LS-B)

## 2" High Velocity Rafter Clips


Item #: 56638 (RC-LS-HV-2)

Kit Includes:


- 10 2" Rafter Clips
- 60 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

2.6 lbs 1.18 kg 8

**LS**



QTY 10 pcs



Looking for more angle brackets?  
Find Inside 90°, 45° & more all on  
pages 58-63.



Scan to Watch This Product's Video







Project #317





## 4" Standard Rafter Clips

Item #: 51718 (RC-IW-4) 10pk




Item #: 41718-1 (RC-IW-4-2PK) 2pk

10 Pack Kit Includes:



- 1 10 4" Rafter Clips
- 2 60 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)
- 3 20 Hex Cap Nuts
- 4 20 1 3/4" OWT Timber Screws

8 lbs 3.76 kg 3/8" 4



## 4" Standard Rafter Clips

Item #: 56618 (RC-LS-4) 10pk




Item #: 46618-1 (RC-LS-4-2PK) 2pk

10 Pack Kit Includes:



- 1 10 4" Rafter Clips
- 2 60 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)
- 3 20 Hex Cap Nuts
- 4 20 1 3/4" OWT Timber Screws

8 lbs 3.76 kg 3/8" 4



## 4" Flush Inside 45°



Item #: 51768 (FI45-IW-4)

Kit Includes:



- 1 4 Flush Inside 45° Plates
- 2 8 1 3/4" OWT Timber Screws
- 3 8 Hex Cap Nuts
- 4 24 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

4.21 lbs 1.91 kg 3/8" 4



## 4" Flush Inside 45°




Item #: 56668 (FI45-LS-4)

Kit Includes:



- 1 4 Flush Inside 45° Plates
- 2 8 1 3/4" OWT Timber Screws
- 3 8 Hex Cap Nuts
- 4 24 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

3.69 lbs 1.67 kg 3/8" 4




Looking for more angle brackets?  
Find Inside 90°, 45° & more all on  
pages 58-63.





## Truss Accents & Ties

### How They Work



Testing Reports, Instructions  
& More Detail Specs

Visit us online at [OZCObp.com](http://OZCObp.com)

Truss Ties, Fans & Accents all have corresponding fastener holes and slots for locking tabs for quick installation.



The Quantity of Truss Accent Kits (51711 or 56611) **REQUIRED** for products in the above categories are indicated by the Number inside this Icon.

Ironwood Style of Truss Accent installed using Timber Screws (sold separately) and the included Hex Cap Nuts

Laredo Sunset Style of Truss Accent installed using OWT Timber Bolts (sold separately)

### Truss Accent

Each Sold Separately (see opposite)

Style	Item # Description
Laredo Sunset	56611 (TA-LS) <b>LS</b>
Ironwood	51711 (TA-IW) <b>IW</b>

**IMPORTANT:** Each **SOLD SEPARATELY** OWT Timber Bolts, Timber Screws and/or Hex Cap Nuts are **REQUIRED** for proper installation.

### Fastening Options

Each Sold Separately (see pages 84–85)

Timber Screws	Item # Description
1¾" (45mm)	56625 (OWT175)
2¾" (70mm)	56626 (OWT275)
3¾" (95mm)	56627 (OWT375)
5¾" (145mm)	56628 (OWT575)
7½" (190mm)	56629 (OWT750)
10" (254mm)	56647 (OWT10)
12" (304mm)	56648 (OWT12)

### Timber Bolt Options

Each Sold Separately (see pages 84–85)

Timber Bolts	Item # Description
1½-4" (38-101mm)	56673 (BOLT 1.5-6)
4-6" (101-152mm)	56649 (BOLT 4-6)
6-8" (152-203mm)	56650 (BOLT 6-8)
8-10" (203-254mm)	56651 (BOLT 8-10)
10-12" (254-304mm)	56652 (BOLT 10-12)





## Truss Accent


Item #: 51711 (TA-IW)

IW

### Kit Includes:

- 1 2 Truss Accent Plates
- 2 4 Hex Cap Nuts

3.4 lbs 1.54 kg



QTY  
2  
pcs



## Truss Accent


Item #: 56611 (TA-LS)

LS

### Kit Includes:

- 1 2 Truss Accent Plates
- 2 4 Hex Cap Nuts

3.4 lbs 1.54 kg



QTY  
2  
pcs



OWT Timber Bolts or Screws  
Are **REQUIRED** and **SOLD SEPARATELY**.  
See pages 76-85 for all available lengths.



Scan to Watch This Product's Video

G-PC

ACQ

CRC



.20"  
5mm





### ❖❖ Inside Flush 45

*Inside Flush 45 on My Outdoor grilling station / bar. I love the finish look it gave to my project. ❖❖*

Peter D. ~ Verified Buyer



Project #505









## Large Outside 90°

Item #: 57713 (LRG-FO90)

### Includes:



1 Large Outside Plate

14 lbs 6.4 kg



QTY  
2  
pcs

Timber Bolts, Timber Screws & Accessories **ALL SOLD SEPARATELY.**



## 90° Flush Outside

Item #: 56614 (FO-90)

### Includes:


2 Flush Outside Plates

6.2 lbs 3.3 kg



QTY  
2  
pcs

Timber Bolts, Timber Screws & Accessories **ALL SOLD SEPARATELY.**



## Butt Joint Flush

Item #: 56613 (BJF)

### Includes:



2 Butt Joint Plates

2.4 lbs 1.09 kg



QTY  
2  
pcs

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



Scan to Watch This Product's Video



The number of Truss Accent (LS or IW) kits are indicated by the Diamond Icon & Number, kits **SOLD SEPARATELY** see page 58.



G-PC

ACQ

CRC



.20"  
5mm






## Great Truss System

*I used the Truss Fan Base with Ironwood Truss Accents and 1/2" Timber Bolts to make trusses for a car port. These product made this project so much easier and look great. The fan base is both strong and good looking. The accent pieces give the trusses a finished look. The powder coat finish on all the parts should look good for a long time. ♡ ♡*

Doug A. ~ Verified Buyer











**Project #895**





# Project #210 — Pavilion















## 8:12 Truss Base Fan

Item #: 56619 (TBF-8-12)





Includes:

1 Truss Base Fan - 8:12

14.1 lbs 6.39 kg 4

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



## 10:12 Truss Base Fan

Item #: 56620 (TBF-10-12)





Includes:

1 Truss Base Fan - 10:12

14.1 lbs 6.39 kg 4

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



## 12:12 Truss Base Fan

Item #: 56644 (TBF-12-12)





Includes:

1 Truss Base Fan - 12:12

14.1 lbs 6.39 kg 4

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



The number of Truss Accents (IW or LS) kits are indicated by the Diamond Icon & Number, kits **SOLD SEPARATELY** see page 58.



Scan to Watch This Product's Video



G-PC

ACQ




CRC




.20" 5mm



## Truss Base Fan Cuts King and Web




Shown From Back Viewpoint





Beam (in)	King Post (in)	Rafter (in)	Web (in)
138	44.70	79.95	35.94
139	45.04	80.55	36.22
140	45.38	81.15	36.50
141	45.71	81.76	36.78
142	46.05	82.36	37.06
143	46.39	82.96	37.34
144	46.73	83.56	37.62
145	47.06	84.17	37.90
146	47.40	84.77	38.18
147	47.74	85.37	38.46
148	48.07	85.98	38.74
149	48.41	86.58	39.02
150	48.75	87.18	39.30
151	49.09	87.78	39.58
152	49.42	88.39	39.86
153	49.76	88.99	40.14
154	50.10	89.59	40.42
155	50.43	90.20	40.70
156	50.77	90.80	40.98
157	51.11	91.40	41.25
158	51.45	92.01	41.53





## 8:12 Truss Calculator



### Testing Reports, Instructions & More Detail Specs

Informes de pruebas, instrucciones y más especificaciones Detalle



## 10:12 Truss Calculator




### Testing Reports, Instructions & More Detail Specs

Informes de pruebas, instrucciones y más especificaciones Detalle




## Truss Base Fan Custom Angle

Applications where roof pitch does not match available truss base fan angle (web and rafter angle not perpendicular (90°); **OWT** Butt Joint (#56613) will be utilized (shown with Truss Accent #56611).









## Truss Base Fan - T

Item #: 56645 (TBF-T)




Includes:

1 Truss Base Fan - T



OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY**.

QTY  
**1**  
pcs



## Truss Base Fan 3 Point

Item #: 56646 (TBF-3-PT)





Includes:

1 Truss Base Fan - 3pt



OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY**.

QTY  
**1**  
pcs



The number of Truss Accents (IW or LS) kits are indicated by the Diamond Icon & Number, kits **SOLD SEPARATELY** see page 58.



Scan to Watch This Product's Video



G-PC


ACQ

CRC



.20"  
5mm





## 💡 Hex Cap Nuts

*I used a number of the products from this line on a recent project and was very pleased to not only find the products, pergola hardware is scarce, but also to find such a well-engineered and easy to use line of hardware. On the first project I used over \$1,000 of this OWT product line to build a 10' x 30' cedar pergola and am about to start another project that will require as much or more. These nuts were extras I thought I might need. 💡 S. Bruce ~ Dallas, TX*



## 2 3/8" OD Star



Item #: 56623 (STAR2.375)

### Kit Includes:

- 1 10 2 3/8" OD Star
- 2 10 #6 x 1 3/4" Wood Screw

.9 lbs .41 kg 10 PH2

QTY  
10  
pcs



## 3 3/8" OD Star


Item #: 56624 (STAR3.375)

### Kit Includes:

- 1 10 3 3/8" OD Star
- 2 10 #6 x 1 3/4" Wood Screw

1.6 lbs .72 kg 10 PH2

QTY  
10  
pcs



### Single BULK 100pcs

Item #: 16624 (STAR3.375B)

## 1" Hex Cap Nut



Item #: 56681 (HCN-1)

### Kit Includes:

- 1 10 Hex Cap Nuts
- 2 10 Hex Cap Nut Plugs

.9 lbs .41 kg 12

QTY  
10  
pcs



WILL REQUIRE A 4.5MM ALLEN WRENCH TO SECURE THE HEX CAP NUT PLUG



OWT Timber Screws **DO NOT FIT** the 1" Hex Cap Nut (56681)

**REQUIRES SELF DRILL SCREW, HEX, #8, 1 1/4" FASTENER SOLD SEPARATELY**

## 1 1/2" Hex Cap Nut

Item #: 56621 (HCN)

Item #: 46621-1 (HCN) 4pk




Item #: 16621 (HCN) 250pk

### 10 Pack Includes:

- 1 10 Hex Cap Nuts
- 2 10 Hex Cap Nut Plugs

.9 lbs .41 kg 12

QTY  
10  
pcs



ALL OWT Timber Screws fit the 1 1/2" Hex Cap Nut ( )  
**FASTENERS SOLD SEPARATELY**

## 1 1/4" Hammered Dome Cap Nut

Item #: 56622 (DCN)


Item #: 16622 (DCN) 250pk

### 10 Pack Includes:

- 1 10 Threaded Washer
- 2 10 Hammered Dome Cap Nuts

.5 lbs .23 kg 12

QTY  
10  
pcs



ALL OWT Timber Screws fit the Hammered Dome Cap Nuts (56622)  
**FASTENERS SOLD SEPARATELY**



Create an even bolder accent by adding the Heavy Duty Timber Bolt Washer to the Hex Cap Nut or Dome Cap Nut, see page 74.



Scan to Watch This Product's Video




AI-PC

ACQ








**OWT Timber Bolts**  
Various Sizes and Lengths Available  
Secure rail posts to rim joists with Timber  
Timber Bolts.

## OWT Timber Bolts




Each Bolt Size  
Adjusts Over 2" for  
the Perfect Size  
Every Time

Inserts Like a  
Traditional Bolt &  
Tightens From the  
Inside Out



- Corrosion Resistant Coatings & Materials for Long Lasting Performance
- Attractive Design for Visible Connectorss. A Perfect Finish to Any Project
- Washer Built Into the One Piece Hex Cap Nut



No Trimming of  
Unsightly & Potentially  
Dangerous Bolt Ends




Use the 2" Heavy Duty  
Timber Bolt Washer to  
Add Support & Impact.



Innovative Hex Cap Nut Design  
Prevents the Outside Coating  
from Being Marred or Damaged








## 3/4" OWT Timber Bolts - Technical Specifications

**Table 1:** Fastener Specifications


Item # 2pc Package / Bulk PKG	Fastener Dimensions (inches and millimeters are approximated)								Allowable Steel Strength (PSI)		
	Nominal	Shank	Root	Head	Overall Length		Connector Length	Threads Per Inch	Bending Yield Strength	Tensile Strength	Yield Strength
	Diameter				Min.	Max.					
56673 / 16673	3/8"	.393	.333	1.501	1 1/2" (38mm)	4.5" (114mm)	2" (50mm)	16	8,800	39,100	33,600
56649 / 16649	3/8"	.393	.333	1.501	4" (101mm)	6.5" (165mm)	2" (50mm)	16	8,800	39,100	33,600
56650 / 16650	3/8"	.393	.333	1.501	6" (152mm)	8.5" (216mm)	2" (50mm)	16	8,800	39,100	33,600
56651 / 16651	3/8"	.393	.333	1.501	8" (203mm)	10.5" (267mm)	2" (50mm)	16	8,800	39,100	33,600
56652 / 16652	3/8"	.393	.333	1.501	10" (254mm)	12.5" (318mm)	2" (50mm)	16	8,800	39,100	33,600

Table1 NOTE: Bending yield strength determined in accordance with ASTM F 1575. Minimum thread engagement to connector shall be 15/16 inches.



**Table 2:** Fastener Reference Withdrawal Values Wood-To-Wood Connector Specific Gravity, G=0.35 or Greater

Item # 2pc Package / Bulk PKG	Allowable Tension Perpendicular to Grain
	Pull-Over (lb)
56673 / 16673	713
56649 / 16649	713
56650 / 16650	713
56651 / 16651	713
56652 / 16652	713



**Table 3:** Fastener Reference Lateral Design Values - Single Shear Connectors Specific Gravity, G=0.35 or Greater

Side Member Thickness (in)	Main Member Thickness (in)	Min. End Distance (in)	Min. Edge Distance (in)	Allowable Shear Capacity Parallel to Grain (lb)
1.5	3.5	2.5	1.6	1,232
1.5	3.5	2.5	1.6	1,232
1.5	3.5	2.5	1.6	1,232
1.5	3.5	2.5	1.6	1,232
1.5	3.5	2.5	1.6	1,232




Table 2 NOTE: The tabulated reference pull-over design values shown are based on Allowable Stress Design (ASD) and must be multiplied by all applicable adjustment factors in accordance with 2012 NDS Section 10.3. Pull-over capacity based on 4"x4" and (2) 2"x4" wood members with tension perpendicular to grain. 4) Bolt pull through testing as per ASTM D 1037.

Table 3 NOTE: The tabulated reference lateral design values shown are based on Allowable Stress Design (ASD) and must be multiplied by all applicable adjustment factors in accordance with 2012 NDS Section 10.3.





**1 DRILL**  
Hole Through  
Lumber




**2 INSERT**  
Bolt Coupler Rod  
Through Drill Hole



**3 THREAD**  
End Hex Bolt Into  
Coupler Rod




**4 TIGHTEN**  
Then Replace the  
Hex Cap Nut Plug






## 3/4" OWT Timber Bolts



**3/4"x1 1/2-4" (38-101mm) 2pcs**  
Item #: 56673 (BOLT 1.5-4)


**3/4"x4-6" (101-152mm) 2pcs**  
Item #: 56649 (BOLT 4-6)

**3/4"x6-8" (152-203mm) 2pcs**  
Item #: 56650 (BOLT 6-8)



**3/4"x8-10" (203-254mm) 2pcs**  
Item #: 56651 (BOLT 8-10)

**3/4"x10-12" (254-304mm) 2pcs**  
Item #: 56652 (BOLT 10-12)



## 3/4" OWT Timber Bolt (BULK)

Size	Item # Description	Bin Qty
3/4"x1 1/2-4" (38-101mm)	16673 (BOLT 1.5-4B)	30pcs
3/4"x4-6" (101-152mm)	16649 (BOLT 4-6B)	30pcs
3/4"x6-8" (152-203mm)	16650 (BOLT 6-8B)	30pcs
3/4"x8-10" (203-254mm)	16651 (BOLT 8-10B)	30pcs
3/4"x10-12" (254-304mm)	16652 (BOLT 10-12B)	25pcs

## 2" Heavy Duty Timber Bolt Washer

Item #: 56680 (OWT-TBW-2)




Includes:

4 OWT Washers 2"

.81 lbs 0.37 kg

40

OWT Timber Bolts **SOLD SEPARATELY**



Timber bolt length can be extended by replacing the threaded center bolt with a longer bolt.



Scan to Watch This Product's Video



ACQ

PC

CRC

3/4

1/2





## !! OWT Timber Bolts!


*Beautifully constructed and easy to install. They are uniquely constructed to fit a range of widths. I'd highly recommend them when you need both that 'finished' look. !!* John M. ~ Verified Buyer









## 1/2" OWT Timber Bolts




**1/2"x1 1/2"-4" (38-101mm) 2pcs**  
Item #: 56694 (BOLT 1.5-4)




**1/2"x4-6" (101-152mm) 2pcs**  
Item #: 56695 (BOLT 4-6)




**1/2"x6-8" (152-203mm)**  
Item #: 56696 (BOLT 6-8)



**1/2"x8-10" (203-254mm) 2pcs**  
Item #: 56697 (BOLT8-10)



**1/2"x10-12" (254-304mm) 2pcs**  
Item #: 56698 (BOLT 10-12)



Scan to Watch This Product's Video



ACQ

PC

CRC

3/4"

1/2"





## 💡 A Simple Bolt Upgrade

*Replace your bolts to create a stylish statement that's as strong as it is beautiful. Use the 2" Washer for added WOW! 💡*

Ideas ~ Team OZCO







**Project #346**




## ❗❗ OWT TIMBER SCREWS:

Made a tough job easy... These simple appearing screws work wonders. I used them to hold 2x8's up right on the pergola top. Just lined them up and screwed them in. No splits, off angle, misses just in and DONE! ❗❗ James J. ~ Verified Buyer



## 1/4" OWT Timber Screws Typical Installation Examples



All Timber Screws have a 3/8" hex head,.



Screws (opposite page) can be used with the Hex Cap Nuts & the Hammered Dome Caps (page 73) for a more decorative look. **ALL SOLD SEPARATELY**



**1 1/2" Hex Cap Nut**  
Item #: 56621 (HCN)



**1 1/4" Hammered Dome Cap Nut**  
Item #: 56622 (DCN)





## 1/4" OWT Timber Screw Packaging Levels

Size	Item # Description	Blister Pack	MSRP	Item # Description	Bin Qty	MSRP
1 3/4" (45mm)	56625 (OWT175)	25pcs	\$5.00	16625 (OWT175B)	1000pcs	\$122.21
2 3/4" (70mm)	56626 (OWT275)	25pcs	\$9.77	16626 (OWT275B)	600pcs	\$99.99
3 3/4" (95mm)	56627 (OWT375)	25pcs	\$11.10	16627 (OWT375B)	450pcs	\$132.21
5 3/4" (145mm)	56628 (OWT575)	25pcs	\$18.88	16628 (OWT575B)	250pcs	\$132.21
7 1/2" (190mm)	56629 (OWT750)	25pcs	\$22.76	16629 (OWT750B)	250pcs	\$136.65
10" (254mm)	56647 (OWT10)	10pcs	\$12.48	16647 (OWT10B)	50pcs	\$40.27
12" (304mm)	56648 (OWT12)	10pcs	\$27.76	16648 (OWT12B)	50pcs	\$107.77

OWT Timber Screws are heavy duty fasteners specifically designed for wood to wood Connectors indoors or outdoors including contact with ACQ treated lumber. No pre-drilling is required when proper end and edge distances are maintained for most construction lumber materials.


Full product specifications available on OZCOBP.com. A design professional should be consulted when making critical Connectors to ensure the locations and quantity of fasteners meets local and national code requirements. Not recommended for salt water applications.



**Table 1:** Fastener Specifications

Item # Package / BULK	Fastener Dimensions (inches and millimeters are approximated)							Allowable Steel Strength			
	Major	Shank	Root	Head	Overall Length	Length of Thread	Threads per Inch	Bending Yield Strength (PSI)	Tensile Strength (PSI)	Yield Strength (PSI)	Shear Strength (PSI)
	Diameter										
56625 / 16625	¼"	.207	.166	.594	1¾" (45mm)	1¾" (45mm)	7	32,700	62,600	48,800	1,800
56626 / 16626	¼"	.207	.166	.594	2¾" (70mm)	2" (50mm)	7	32,700	62,600	48,800	1,800
56627 / 16627	¼"	.207	.166	.594	3¾" (95mm)	2" (50mm)	7	32,700	62,600	48,800	1,800
56628 / 16628	¼"	.207	.166	.594	5¾" (145mm)	2" (50mm)	7	32,700	62,600	48,800	1,800
56629 / 16629	¼"	.207	.166	.594	7½" (190mm)	2" (50mm)	7	32,700	62,600	48,800	1,800
56647 / 16647	¼"	.207	.166	.594	10" (254mm)	2" (50mm)	7	32,700	62,600	48,800	1,800
56648 / 16648	¼"	.207	.166	.594	12" (304mm)	2" (50mm)	7	32,700	62,600	48,800	1,800


**Table 1 NOTE:** Bending yield strength determined in accordance with ASTM F 1575.



**Table 2:** Fastener Reference Withdrawal Values Wood-To-Wood Connectors Specific Gravity, G=0.35 or Greater

Item # Package / BULK	Length of Thread Penetration	Allowable Perpendicular to Grain	
		Withdrawal, W <sup>2</sup> (lb)	Pull-Over <sup>2</sup> (lb)
56625 / 16625	1 3/4" (45mm)	161	275
56626 / 16626	2" (50mm)	403	275
56627 / 16627	2" (50mm)	403	275
56628 / 16628	2" (50mm)	403	275
56629 / 16629	2" (50mm)	403	275
56647 / 16647	2" (50mm)	403	275
56648 / 16648	2" (50mm)	403	275

**Table 2 NOTE:** The tabulated reference withdrawal design values shown are based on Allowable Stress Design (ASD) and must be multiplied by all applicable adjustment factors in accordance with 2012 NDS Section 10.3. Screw withdrawal and pull through testing as per ASTM D 1037.



**Table 3:** Fastener Reference Lateral Design Values - Single Shear Connectors Specific Gravity, G=0.35 or Greater

Minimum Fastener Penetration Into Main Member (in)	Side Member Thickness (in)	Min. End Distance (in)	Min. Edge Distance (in)	Allowable Capacity Parallel to Grain (lb)
1.5	1.5	2.00	1.5	242
1.5	1.5	2.00	1.5	242
1.5	1.5	2.00	1.5	242
1.5	1.5	2.00	1.5	242
1.5	1.5	2.00	1.5	242
1.5	1.5	2.00	1.5	242
1.5	1.5	2.00	1.5	242



Post to Beams are another great product to pair with the OWT Timber Screws, **SOLD SEPARATELY** see pages 23-27 for all options.



Scan to Watch This Product's Video

ACQ


PC

CRC

©

1/4"







### "T" Hinge

Item #: 56661 (T-HINGE-S)

**Kit Includes:**

- ① 1 "T" Hinges
- ② 6 1 3/4" OWT Timber Screws

1.8 lbs .82 kg  20




### Strap Hinge Kit

Item #: 56662 (S-HINGE-S)

**Kit Includes:**

- ① 1 Strap Hinges
- ② 6 1 3/4" OWT Timber Screws

1.98 lbs .89 kg  20



### Butterfly Hinge Kit

Item #: 56663 (B-HINGE-S)

**Kit Includes:**

- ① 1 Butterfly Hinges
- ② 6 1 3/4" OWT Timber Screws

1.34 lbs .61 kg  20


### Standard Latch Kit

Item #: 56664 (S-LATCH-S)

**Kit Includes:**

- ① 1 Self-Latching System
- ② 1 Handle
- ③ 1 Slide Bolt
- ④ 7 1 3/4" OWT Timber Screws

2.1 lbs .95 kg  12




### 13"x13" Speak Easy Accent

Item #: 56660 (GA-EASY)

**Kit Includes:**

- ① 1 Decorative Accent
- ② 12 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

2.5 lbs 1.13 kg  5




### 16" Carriage House Straps

Item #: 56100-1 (CHS-B-16)

**Kit Includes:**

- ① 4 Straps




### 9 3/4" Carriage House Handles


Item #: 56110-1 (CHH-B-975)

**Kit Includes:**

- ① 2 Handles







## 15 1/4"x15 1/4" Star Accent


Item #: 56665 (GA-STAR)

### Kit Includes:

- ① 1 Decorative Insert
- ② 1 Mounting Frame
- ③ 16 #10 x 1/2" Screws

8.4  
lbs

3.81  
kg



## 15 1/4"x15 1/4" Scroll Accent


Item #: 56658 (GA-SCROLL)

### Kit Includes:

- ① 1 Decorative Insert
- ② 1 Mounting Frame
- ③ 16 #10 x 1/2" Screws

11.6  
lbs

5.25  
kg



Project #410



Project #411



Project #412




# Project #262 — Fence & Gate











## 2 3/8" Steel To Wood Bracket

Item #: 50110 (WAP-OZ) Individually Packaged



Item #: 50111 (WAP-OZ) 50pk Bulk

Item #: 52212 (WAP-OZ-12) 12 pk

Assembled & Ready To Install

### Assembly Includes:

- 1 1 Strap & Base
- 2 4 1/4" Lag Screws
- 3 2 5/16" Carriage Bolts





## 2 3/8" Steel To Wood Bracket 90°

Item #: 50140-1 (WAP-238-90) Individually Packaged

Assembled & Ready To Install

### Assembly Includes:

- 1 4 Screw, Lag, #14-10 x 36mm
- 2 2 Nut, Hex 5/16-18
- 3 1 Strap, 2 3/8" WAP-238-90
- 4 2 Bolt, Carriage 5/16-18 x 1.5
- 5 1 Bracket, 2 3/8" WAP-238-90



## 2 3/8" Steel To Wood Bracket



Item #: 50100 (WAP-238) Individually Packaged

Item #: 50130 (WAP-238) 50pk Bulk


Assembly Is Required

### Parts Includes:

- 1 1 Bracket Base
- 2 1 Bracket Strap
- 3 2 5/16" Carriage Bolts
- 4 2 5/16" Carriage Bolt Nuts
- 5 4 1/4" x 1 1/4" Lag Screws








### Wood To Wood Bracket

Item #: 50120-1 (W2W-FB)

#### Includes:

- ① 2 Brackets
- ② 6 Flat Head (#10 x 1¼)

50





**OZ-FENCE**  
STEEL POST EXTENDERS

### 3' Post Extender for 2⅜" Steel Posts

Item #: 20550 (OZ-PST-EXT)

#### Parts Includes:

- ① 1 3' Post, 2-3/8" Galvanized Steel
- ② 1 Sleeve Post Extender Middle
- ③ 1 Upper Assembly
- ④ 1 Lower Assembly
- ⑤ 1 ½" Carriage Bolt & Hex Nut




HDG

ACQ

CRC

12"  
3mm





**Speak Easy Accent**

Item #: 56660 (GA-EASY)

These accents can be used not only gates, your imagination is the limit. [See Page 86](#)




**Hammered Dome Caps**

Item #: 56622 (DCN)

The Hammered Dome Caps are accents that take a project to the next level aesthetically. [See Page 75](#)









Project #282



Project #110



Project #111





# Post Anchors for Fences, Decks, Signs & More

- Meets or exceeds building codes
- Great for areas with Rocks, Roots and Deep Frost Lines
- Suitable for contact with ACQ treated lumber
- Wind Load Tested to 120mph for Privacy Fencing (not all models)



**FREE Project Plans**  
Step by Step How To's  
Material & Cut Lists  
[OZCObp.com](http://OZCObp.com)

**Post Holes Are History...Use OZ-Post®!**  
You don't have to dig post holes to secure a post in the ground.




## Driving Options




To manually drive posts use Item #: 20500 **Manual Driving Kit (MDK)** or for larger projects requiring a jackhammer use Item #: 20480 **Jackhammer Driving Kit (JDK)**.

**Check Level Periodically**



**Post Level**  
(sold separately)  
Item #: 50740



**Manual Driver Kit**

**MDK-13**  
(sold separately)  
Item #: 20500



**Jackhammer Driver Kit**

**JDK-10**  
(sold separately)  
Item #: 20480

## Securing Post Options



**Method One**  
Post Sleeve Halfway  
With Screws & Adhesive



**Method Two**  
Post Sleeve Ground  
Level With Screws Only



**Method Three**  
Post Sleeve Halfway  
With Offset Lag Bolts



**Method Four**  
Full Ground Level With  
Adhesive Only

CAUTION: Precautions have been taken to assure accuracy of the information in this catalog. Product dimensions in this electronic catalog are nominal and are provided for the convenience of our customers. OZ-Post® reserves the right to make product changes from time to time, without prior notification, which may change the information shown. We therefore recommend they be checked before using for any projects.



## Drivable Post Anchors for Timber & Cedar



**24" 4"x4"**  
(Actual 3½"x3½")  
Item #: 30180-1 (T4-600)

**Kit Includes:**  
1 Post Anchor

.12" 550 lbs  
3mm 249 kg  
5.6 lbs 2.54 kg



**27" 4"x4"**  
(Actual 3½"x3½")  
Item #: 30700 (MB-24)

**Kit Includes:**  
1 Post Anchor

.08" 4.31 lbs  
2mm 1.95 kg



**34" 4"x4"**  
(Actual 3½"x3½")  
Item #: 30160 (T4-850)

**Kit Includes:**  
1 Post Anchor


.08" 550 lbs  
2mm 249 kg  
7.7 lbs 3.49 kg




**36" 4"x6"**  
(Actual 3½"x5½")  
Item #: 30380 (T46-850)

**Kit Includes:**  
1 Post Anchor


.12" 700 lbs  
3mm 317 kg  
11.8 lbs 5.35 kg




**24"**  
(600mm)



**27"**  
(700mm)



**34"**  
(850mm)



**36"**  
(914mm)


### Jackhammer Driver Kit Item #: 20480 (JDK-10) Sold Separately

To manually drive posts use Item #: 20500 Manual Driving Kit (MDK) or for larger projects requiring a jackhammer use Item #: 20480 Jackhammer Driving Kit (JDK). The HSP-T4 is included with both kits and works with the 4x4 wood posts, the purchase of an additional spacer may be required and will be noted with each product. See Page 100 for all tools and corresponding product.



### HSP-T46 (Item #: 40520)

To Drive Post use the MDK or the OH-01 Driver Bit (Item #: 20480) & Spacer HSP-T46 (sold separately).



## Securing Post Options



**Method One**  
Post Sleeve Halfway  
With Screws & Adhesive



**Method Two**  
Post Sleeve Ground  
Level With Screws Only



**Method Three**  
Post Sleeve Halfway  
With Offset Lag Bolts





**36" 6"x6"**  
(Actual 5½"x5½")  
Item #: 30400 (T6-850)

**Kit Includes:**


1 Post Anchor




.12"  
3mm

700 lbs  
↔  
317 kg

14.1 lbs  
6.39 kg



**36"**  
(914mm)



**HSP-T6**  
(Item #:40540-1)

To Drive Post use the MDK or the OH-01 Driver Bit (Item #: 20480) & Spacer HSP-T6 (sold separately).



**Method Four**  
Full Ground Level With  
Adhesive Only



Project #251



Scan to Watch  
Product Video




ACQ

HDG

250 lbs ↑ 113 kg



## Drivable Post Anchors for Round Steel Posts




### 27" 1 5/8" Diameter

Item #: 30000 (GB-700)

#### Kit Includes:


1 Post Anchor 

$\frac{.08"}{2\text{mm}}$   $\frac{550\text{ lbs}}{249\text{ kg}}$   $\frac{5.3\text{ lbs}}{2.4\text{ kg}}$



#### OH-02 (Item #: 20440)

To Drive Post use the MDK or the OH-02 Driver Bit (Item #: 20440), No Spacer (sold separately).




### 27" 1 7/8" Diameter

Item #: 30020 (HB-700)

#### Kit Includes:


1 Post Anchor 

$\frac{.08"}{2\text{mm}}$   $\frac{550\text{ lbs}}{249\text{ kg}}$   $\frac{7.6\text{ lbs}}{2.81\text{ kg}}$



#### HSP-HB (Item #: 40640-1)

To Drive Post use the OH-02 Driver Bit (Item #: 20440) & Spacer HSP-HB (Item #: 40640-1) sold separately.





### 24" 2 3/8" Diameter

Item #: 30060-1 (IS-600)

#### Kit Includes:

1 Post Anchor 

$\frac{.12"}{3\text{mm}}$   $\frac{750\text{ lbs}}{340\text{ kg}}$   $\frac{6.4\text{ lbs}}{2.9\text{ kg}}$




### 34" 2 3/8" Diameter

Item #: 30040 (ISW-850)

#### Kit Includes:


1 Post Anchor 

$\frac{.12"}{3\text{mm}}$   $\frac{750\text{ lbs}}{340\text{ kg}}$   $\frac{8.6\text{ lbs}}{3.9\text{ kg}}$



### Jackhammer Driver Kit Item #: 20480 (JDK-10) Sold Separately

To manually drive posts use Item #: 20500 Manual Driving Kit (MDK) or for larger projects requiring a jackhammer use Item #: 20480 Jackhammer Driving Kit (JDK). The HSP-T4 is included with both kits and works with the 4x4 wood posts, the purchase of an additional spacer may be required and will be noted with each product. See Page 100 for all tools and corresponding product.



Scan to Watch This Product's Video




ACQ

HDG

250 lbs  113 kg







## 2 3/8" Steel to Steel Post Base

Item #: 30500 (238-IS-PB)

### Kit Includes:


1 Post Base



.12"  
3mm

750 lbs  
340 kg

3.35 lbs  
1.52 kg



Project #263



## CDT-07 Cap Driving Tool\*

Item #: 50890 (SOLD SEPARATELY)

6 lbs 2.72 kg

PC

10

\* Tool used to secure the compression collar to all round steel post models.



## Drivable Post Anchors for Ornamental Fencing



**24" 2"x2"**


Item #: 30320 (I2-600)

### Kit Includes:

1 Post Anchor



To Drive Post use the MDK or JDK, No Spacer needed.



**34" 2"x2"**

Item #: 30300 (I2-850)

### Kit Includes:

1 Post Anchor



To Drive Post use the MDK or JDK, No Spacer needed.



**34" 2½"x2½"**


Item #: 30340 (I25-850)

### Kit Includes:

1 Post Anchor



To Drive Post use the MDK or JDK with Spacer HSP-I25 (Item #: 40580-1).



**34" 3"x3"**


Item #: 30360 (I3-850)

### Kit Includes:


1 Post Anchor




To Drive Post use the MDK or JDK with Spacer HSP-I3 (Item #: 40600-1).




**24"**  
(600mm)



**34"**  
(850mm)



**34"**  
(850mm)



**34"**  
(850mm)



**HSP-I25**  
(Item #: 40580-1)

To Drive Post use the MDK or the OH-01 Driver Bit (Item #: 20480) & Spacer HSP-I25 (sold separately).



**HSP-I3**  
(Item #: 40600-1)

To Drive Post use the MDK or the OH-01 Driver Bit (Item #: 20480) & Spacer HSP-I3 (sold separately).

## Jackhammer Driver Kit

Item #: 20480 (JDK-10) Sold Separately

To manually drive posts use Item #: 20500 Manual Driving Kit (MDK) or for larger projects requiring a jackhammer use Item #: 20480 Jackhammer Driving Kit (JDK). The HSP-T4 is included with both kits and works with the 4x4 wood posts, the purchase of an additional spacer may be required and will be noted with each product. See Page 100 for all tools and corresponding product.



ACQ

HDG

250 lbs  
113 kg

550 lbs  
249 kg









## Drivable Post Anchors & Deck Foundation System



### 12" x 12" Deck Plate

Item #:50880 (OD-T4)



#### Includes:

- 1 12" x 12" Deck Plate

.20" 6.8 3.08 6  
5mm lbs kg



Load Tested Up to 7000lbs



### Jackhammer Driver Kit

Item #:20480 (JDK-10) Sold Separately

To manually drive posts use Item #: 20500 Manual Driving Kit (MDK) or for larger projects requiring a jackhammer use Item #: 20480 Jackhammer Driving Kit (JDK). The HSP-T4 is included with both kits and works with the 4x4 wood posts, the purchase of an additional spacer may be required and will be noted with each product. See Page 100 for all tools and corresponding product.




### 34" 4"x4" Post Anchor

(Actual 3½"x3½") Item #: 30160 (T4-850)

#### Includes:

- 1 Post Anchor

.08" 550 lbs 7.7 3.49 6  
2mm lbs kg




### 36" 6"x6" Post Anchor

(Actual 5½"x5½") Item #:30410 (T6-700)

#### Includes:

- 1 Post Anchor

.12" 550 lbs 8.5 3.85 4  
3mm lbs kg



Scan to Watch This Product's Video

ACQ


HDG

250 lbs 113 kg

550 lbs 249 kg







**OWT Timber Bolts & Washers**


Various Sizes and Lengths Available

Secure top hand rails to rail posts and to rim joists with Timber Bolts and Heavy Duty Washers.

**OZ-Deck Foundation**

Item #: 50880 (OD-T4)

The OZ-Deck Foundation System used in conjunction with the T4-850 Post Anchor is load tested to over 7000lbs.



**Load Tested Up To 7000 lbs**





Scan to Watch This Product's Video



**Jackhammer Driver Kit**  
Item #:20480 (JDK-10)

**Kit Includes:**

- 1 OH-01 Driver Bit
- 1 HSP-T4 Red Spacer

1 1/8" 4 10 lbs 4.54 kg

**Manual Driver Kit**  
Item #:20500 (MDK-13)

**Kit Includes:**

- 1 Manual Driver
- 1 HSP-T4 Red Spacer

17.6 lbs 7.95 kg

**Jackhammer Driver Bit**  
Item #: 20440 (OH-02)

**Includes:** 1 Bit

1 1/8" 6.4 lbs 2.9 kg

**Post Level**  
Item #: 50740

**Includes:** 1 Post Level

50 .3 lbs .11 kg

**HSP-HB**  
(Item #: 40640-1)

4

**HSP-I3**  
(Item #: 40600-1)

4

**HSP-T6**  
(Item #:40540-1)

4

**HSP-I25**  
(Item #: 40580-1)

4

**HSP-T46**  
(Item #: 40520)

4



## OZ-Puller with Plug & Post Clamp


Item #:50800 (OZ-PULLER)

### Kit Includes:

- 1 Puller Frame
- 1 Manual Jack
- 1 Chain
- 1 Plug Clamp
- 1 Post Clamp

121 lbs 54.81 kg

PC



### Plug Clamp

Item #:50820 (PLUG-CL)

Includes: 1 Plug Clamp

5.7 lbs 2.56 kg

PC



### Post Clamp

Item #:50833 (POST-CL)

Includes: 1 Post Clamp

6 lbs 2.7 kg



PC







**7-8" Telescoping Support Arm**  
Item #: 63308 (8-TSA)

Shown with Mounting Accessory Counter  
Top Plug Sold Separately  
(Line Art & Rendering)






**8-9" Telescoping Support Arm**  
Item #: 63309 (9-TSA)

Line Art Shown with Mounting Accessory  
Counter Top Plug Sold Separately





**10-13" Telescoping Support Arm**  
Item #: 63313 (13-TSA)

Image Shown (right) with 90° Mounting Accessory ▶▶  
Sold Separately & Fully Extended on Lower Counter



**14-18" Telescoping Support Arm**  
Item #: 63318 (18-TSA)

Image Shown (right) with Mounting Accessory  
Counter Top Plug Sold Separately ▶▶





# ROCK SOLID BRACKETS

*Install with Ease and Confidence*



*Breakfast Bar Installed with 90° Plug Mounting Accessory and Telescoping Arm, Lower Countertop Installed with Counter Plug Mounting Accessory.*



# ISLANDS, BREAKFAST TOPS & COUNTERS

*RSB Assemblies Making Kitchens A Breeze*






*Kitchen Island Installed with Fully Extended Telescoping Arms  
and Counter Plug Mounting Accessories.*







### 19-26" Telescoping Support Arm Item #: 63326 (26-TSA)

Rendering Shown with "T" Mounting  
Accessory & Fully Extended  
Sold Separately





### 27-36" Telescoping Support Arm Item #: 63336 (36-TSA)

Mounting Accessories Sold Separately



### 37-48" Telescoping Support Arm Item #: 63348 (48-TSA)

Mounting Accessories Sold Separately






### Counter Plug Mounting Accessory

Item #: 67705 (CNTR-PLG)


Shown below with Telescoping Arm  
(Sold Separately)



### 90° Plug Mounting Accessory

Item #: 67702 (90-PLG)


Shown below with Telescoping Arm  
(Sold Separately)



### Floating Arm Plug Mounting Accessory

Item #: 67708 (ARM-PLG)


Shown below with Telescoping Arm  
(Sold Separately)



### "T" Plug Mounting Accessory

Item #: 67711 (T-PLG)

Shown below with Telescoping Arm  
(Sold Separately)





# ROCK SOLID BRACKETS

*Install with Ease and Confidence*



*Pony Wall Installed with "T" Mounting Accessory and Telescoping Arm, Lower Bar Installed with Floating Arm Plug Mounting Accessory.*



Item#:	Product Description	Abbreviated	Pg
11717-1	2" Rafter Clips - IW - BULK	RC-IW-B	55
11783-1	4X4 Post Band - IW - BULK	4-BND-IW -B	35
11786-1	6X6 Post Band - IW - BULK	6-BND-IW-B	35
11787-1	8X8 Post Band - IW - BULK	8-BND-IW-B	35
16617	2" Rafter Clips - LS - BULK	RC-LS-B	55
16621	1½" Hex Cap Nut - (250PK)	175-HCN-B	75
16622	1¼" Hammered Dome Cap Nut	HDCN-B (250PK)	75
16624	Star 3 ¾" OD - BULK	STAR3.375-B	75
16625	¼" X 1 ¾" Timber Screws - BULK	OWT175LB-B	85
16626	¼" X 2 ¾" Timber Screws - BULK	OWT275LB-B	85
16627	¼" X 3 ¾" Timber Screws - BULK	OWT375LB-B	85
16628	¼" X 5 ¾" Timber Screws - BULK	OWT575LB-B	85
16629	¼" X 7 ½" Timber Screws - BULK	OWT750LB-B	85
16647	¼" X 10" Timber Screws - BULK	OWT10LB-B	85
16648	¼" X 12" Timber Screws - BULK	OWT12LB-B	85
16649	¾" 4-6" Timber Bolts - BULK	BOLT 4-6-B	79
16650	¾" 6-8" Timber Bolts - BULK	BOLT 6-8-B	79
16651	¾" 8-10" Timber Bolts - BULK	BOLT 8-10-B	79
16652	¾" 10-12" Timber Bolts - BULK	BOLT 10-12-B	79
16673	¾" x 1-½"-4" Timber Bolts - BULK	3/4-TB-1.5-4-B	79
16680	HD Timber Bolt Washer - BULK	WASH-TB-B	79
20440	Hammer Driver	OH-02	104
20480	Jackhammer Driver Kit)	JDK-10	104
20500	Manual Driving Kit	MDK-13	104
20550	3' Steel Post Extender	PST-EXT	91
30000	GB-700 - (1½" Round)	GB-700	98
30020	HB-700 - (1½" Round)	HB-700	98
30040	ISW-850 - (2½" Round)	ISW-850	98
30060-1	IS-600 - (2½" Round)	IS-600	98
30160	T4-850 - (3½" Square)	T4-850	96, 102
30180-1	T4-600 - (3½" Square)	T4-600	96
30300	I2-850 - (2" Square)	I2-850	100
30320	I2-600 - (2" Square)	I2-600	100
30340	I25-850 - (2½" Square)	I25-850	100
30360	I3-850 - (3" Square)	I3-850	100
30380	T46-850 - (3½"X5½")	T46-850	96
30400	T6-850 - (5½" Square)	T6-850	97
30410	T6-700 - (5½" Square)	T6-700	102
30500	2¾" Round Post Base	238-IS-PB	99
30700	MB-24 - (3½" Square)	MB-24	96
40520	T46 - (Hammer-Spacer)	HSP-T46	104
40540-1	T6 - (Hammer-Spacer)	HSP-T6	104
40580-1	I25 - (Hammer-Spacer)	HSP-I25	104
40600-1	I3 - (Hammer-Spacer)	HSP-I3	104
40640-1	HB - (Hammer-Spacer)	HSP-HB	104
41717-1	2" Rafter Clips - IW - (2PK)	RC-2-IW-2PK	55
41718-1	4" Rafter Clips - IW - (2PK)	RC-IW-4-2PK	57
46617-1	2" Rafter Clips - LS - (2PK)	RC-2-LS-2PK	55
46618-1	4" Rafter Clips - LS - (2PK)	RC-LS-4-2PK	57
46621-1	1½" Hex Cap Nut - (4PK)	1.75-HCN-4PK	75

Item#:	Product Description	Abbreviated	Pg
50110	Steel 2 Wood Fence Bracket	WAP-OZ	90
50111	Steel 2 Wood Fence Bracket	WAP-OZ-CASE	90
50120-1	Wood 2 Wood Fence Bracket	W2W-FB	91
50130-1	Steel 2 Wood Bracket BULK	WAP-238-CASE	90
50140-1	WAP-238-90 Inside 90°	WAP-238-90	90
50740	Post Level	LEVEL	104
50800	OZ-Puller®	OZ-PULLER	105
50820	Plug Clamp	PLUG-CL	105
50833	Post Clamp	POST-CL	105
50880	OZ-Deck Plate	OD-T4	102
50890	Cap Driving Tool	CDT-07	99
51705	10X10 Post Base - IW	10X10-PB-IW	31
51707	4X4 Post Base - IW	4X4-PB-IW	21
51708	6X6 Post Base - IW	6X6-PB-IW	27
51709	8X8 Post Base - IW	8X8-PB-IW	31
51710	8" Post to Beam - IW	P2B-IW-2	46
51711	Truss Accent Plate - IW	TA-IW	59
51714	6" Beam Hanger - IW	6-BH-IW	49
51717	2" Rafter Clips - IW - (10PK)	RC-IW-2	55
51718	4" Rafter Clips -IW	RC-IW-4	57
51730	4X4 Post Base (2) Saddles - IW	4X4-TRS-IW	23
51731	4X4 Post Base (1) Saddle - IW	4X4-SRS-IW	23
51735	6" Post to Beam - IW	P2B-IW-6	43
51736	Post to Beam Bolt Offset -IW	P2B-BO-IW	45
51737	Post to Beam Bolt Inline - IW	P2B-BI-IW	45
51738	2" HV Rafter Clip - IW new	RC-IW-HV-2	54
51739	Joist Hanger Flush 6 -8" - IW	JHF-68-IW	48
51740	Joist Hanger Tab 6-8" - IW	JHT-68-IW	51
51768	4" Flush Inside 45°- IW	FI45-IW-4	57
51769	6-8" Beam Hanger Flush - IW	BHF-68-IW	49
51770	8-10" Joist Hanger Flush - IW	JHF-810-IW	51
51771	6X6Post Base (1) Saddle - IW	6X6-SRS-IW	29
51772	6X6 Post Base (2) Saddles - IW	6X6-TRS-IW	29
51775	4" Post to Beam - IW	P2B-IW-4	43
51776	8" Post to Beam Flush - IW	P2BF-IW	47
51777	8" Post to Beam Coupler - IW	8P2B-SB-IW	47
51778	4X4 Column Caps- IW	4X4-CAP-IW	41
51779	6X6 Column Caps- IW	6X6-CAP-IW	41
51783	4X4 Post Band - IW	4X4-BND-IW	35
51786	6X6 Post Band - IW	6X6-BND-IW	35
51787	8X8 Post Band - IW	8X8-BND-IW	35
51789	4X4 Faux Post Base - IW	4X4-FPB-IW	25
51790	6X6 Faux Post Base - IW	6X6-FPB-IW	33
51791	8X8 Faux Post Base - IW	8X8-FPB-IW	33
51793	Rafter Seam - IW	RS-IW	53
52107	4X4 Post Base - IW OWT-LITE	4X4-PB-IWL	14
52108	6X6 Post Base - IW OWT-LITE	6X6-PB-IWL	14
52109	8X8 Post Base - IW OWT-LITE	8X8-PB-IWL	14
52110	8" Post to Beam - IW OWT-LITE	8-P2B-IWL	14
52212	2¾" Steel to Wood Fence Bracket	WAP-OZ-12	90



Item#:	Product Description	Abbreviated	Pg
54207	4X4 Post Base - LS OWT-LITE	4X4-PB-LSL	13
54208	6X6 Post Base - LS OWT-LITE	6X6-PB-LSL	13
54209	8X8 Post Base - LS OWT-LITE	8X8-PB-LSL	13
54210	8" Post to Beam - LS OWT-LITE	8-P2B-LSL	13
56100-1	16" Carriage House Straps	CH-STRAP	86
56110-1	9¾" Carriage House Handles	CH-HANDLE	86
56604	4X6 Post Base - LS	4X6-PB-LS	27
56605	10X10 Post Base - LS	10X10-PB-LS	31
56607	4X4 Post Base - LS	4X4-PB-LS	21
56608	6X6 Post Base - LS	6X6-PB-LS	27
56609	8X8 Post Base - LS	8X8-PB-LS	31
56610	8" Post to Beam - LS	P2B-LS-2	46
56611	Truss Accent Plate - LS	TA-LS	59
56612	"T" Tie Plate	TTP	61
56613	Butt Joint Flush	BJF	62
56614	Flush Outside 90° Plate	F090	62
56615	Flush Inside 90°Plate	FI90	61
56616	Flush Inside 45°Plate	FI45	61
56617	2" Rafter Clips - LS	RC-LS-2	55
56618	4" Rafter Clips - LS	RC-LS-4	57
56619	Truss Base Fan 8:12 Plate	TBF-8-12	69
56620	Truss Base Fan 10:12 Plate	TBF-10-12	69
56621	1½" Hex Cap Nut - (10PK)	HCN	75
56622	1¼" Hammered Dome Cap Nut	HDCN (10PK)	75
56623	Star 2 ¾" OD	STAR2.375	75
56624	Star 3 ¾" OD	STAR3.375	75
56625	¼" X 1 ¾" Timber Screws	OWT175LB	85
56626	¼" X 2 ¾" Timber Screws	OWT275LB	85
56627	¼" X 3 ¾" Timber Screws	OWT375LB	85
56628	¼" X 5 ¾" Timber Screws	OWT575LB	85
56629	¼" X 7 ½" Timber Screws	OWT750LB	85
56630	4X4 Post Base (2) Saddles - LS	4X4-TRS-LS	23
56631	4X4 Post Base (1) Saddle - LS	4X4-TRS-LS	23
56635	6" Post to Beam - LS	P2B-LS-6	43
56636	Post to Beam Bolt Offset - LS	P2B-BO-LS	45
56637	Post to Beam Bolt Inline - LS	P2B-BI-LS	45
56638	2" HV Rafter Clip - LS	RC-LS-HV-2	55
56639	Joist Hanger Flush 6 -8" - LS	JHF-68-LS	48
56640	Joist Hanger Tab 6-8" - LS	JHT-68-LS	51
56641	2X4 Top Rail Saddle - LS	2X4-TR	21
56644	Truss Base Fan 12:12 Plate	TBF-12-12	69
56645	Truss Base Fan T Plate	TBF-T	73
56646	Truss Base Fan 3 Point Plate	TBF-3-PT	73
56647	¼" X 10" Timber Screws	OWT10LB	85
56648	¼" X 12" Timber Screws	OWT12LB	85
56649	¾" 4-6" Timber Bolts	3/4-TB-4-6	79
56650	¾" 6-8" Timber Bolts	3/4-TB-6-8	79
56651	¾" 8-10" Timber Bolts	3/4-TB-8-10	79
56652	¾" 10-12" Timber Bolts	3/4-TB-10-12	79
56658	Gate Accent Scroll	GA-SCROLL	84

Item#:	Product Description	Abbreviated	Pg
56660	Gate Accent Speak Easy	GA-EASY	86
56661	T Hinge - (Bulk Single)	T-HINGE-S	86
56662	Strap Hinge - (Bulk Single)	S-HINGE-S	86
56663	Butterfly Hinge - (Bulk Single)	B-HINGE-S	86
56664	Standard Latch w Handle - (Bulk)	S-LATCH-S	86
56665	Gate Accent Star	GA-STAR	84
56668	4" Flush Inside 45°- LS	FI45-LS-4	57
56669	6-8" Beam Hanger Flush - LS	BHF-68-LS	49
56670	8-10" Joist Hanger Flush - LS	JHF-810-LS	51
56671	6X6 Post Base (1) Saddle - LS	6X6-SRS-LS	29
56672	6X6 Post Base (2) Saddles - LS	6X6-TRS-LS	29
56673	¾" 1½"-4" Timber Bolts	3/4-TB-1.5-4	79
56675	4" Post to Beam - LS	P2B-LS-4	43
56676	8" Post to Beam Flush - LS	P2BF-LS	47
56677	8" Post to Beam Coupler - LS	8P2B-SB-LS	47
56678	4X4 Column Caps- LS	4X4-CAP-LS	41
56679	6X6 Column Caps- LS	6X6-CAP-LS	41
56680	HD Timber Bolt Washer	WASH-TB	79
56681	1" Hex Cap Nut	HCN-1	75
56689	4X4 Faux Post Base - LS	4X4-FPB-LS	25
56690	6X6 Faux Post Base - LS	6X6-FPB-LS	33
56691	8X8 Faux Post Base - LS	8X8-FPB-LS	33
56693	Rafter Seam - LS	RS-LS	53
56694	½" 1½"-4" Timber Bolts	1/2-TB-1.5-4	81
56695	½" 4-6" Timber Bolts	1/2-TB-4-6	81
56696	½" 6-8" Timber Bolts	1/2-TB-6-8	81
56697	½" 8-10" Timber Bolts	1/2-TB-8-10	81
56698	½" 10-12" Timber Bolts	1/2-TB-10-12	81
57703	Wine Glass Holder	HA-WGH	34
57704	Plant Hanger	HA-PH	35
57705	Wine Bottle Holder	HA-WBH	37
57706	Shackle Ring	HA-SHK	37
57707	Can/Mobile Holder	HA-DCH	37
57708	Towel Hook	HA-TH	37
57712	"T" Tie Plate Extended	TTP-EXT	61
57713	Large Outside 90° Plate	LRG-FO90	62
57714	6" Beam Hanger - LS	6-BH-LS	49
63308	7-8" Telescoping Support Arm	8-TSA	106
63309	8-9" Telescoping Support Arm	9-TSA	106
63313	10-13" Telescoping Support Arm	13-TSA	106
63318	14-18" Telescoping Support Arm	18-TSA	106
63326	19-26" Telescoping Support Arm	26-TSA	109
63336	27-36" Telescoping Support Arm	36-TSA	109
63348	37-48" Telescoping Support Arm	48-TSA	109
67705	Counter Plug Mounting Accessory	CNTR-PLG	110
67702	90° Plug Mounting Accessory	90-PLG	110
67708	Floating Arm Plug Mounting Accessory	ARM-PLG	110
67711	"T" Plug Mounting Accessory	T-PLG	110



# Terms and Conditions of Sale

## GENERAL

The terms and conditions of this document shall constitute the entire Agreement for the purchase and sale of the products to Purchaser. Acceptance made expressly conditional upon Purchaser's assent to these terms, which may differ from, vary or be in addition to the terms in Purchaser's purchase order or request for quotation. Any varying, differing or additional terms and conditions contained in the Purchaser's purchase order or request for quotation shall not be binding upon Hillman.

## DISCOUNT TERMS

A 1% cash discount is allowed for invoices paid within 10 days of invoice date or net payment due within 30 days. Any new orders or back-orders will be held without shipment if there are unpaid invoices in excess of 45 days, or if authorized credit limit is exceeded.

## PRICES

Prices are subject to change without advance notice. All items will be invoiced at the catalog price less the applicable discounts. Prices apply for full box quantities only. Partial boxes will be invoiced at full retail price. Only certain products will be available for partial box sales.

## QUOTATIONS

Written price quotations remain in effect for thirty days from time of quotation unless otherwise stated in writing.

## MINIMUM ORDER

Minimum order is \$25, based on Hillman current Net Purchaser Prices. Orders of less than \$25 will be processed with a \$25 Net Invoice.

## BACK ORDERS

All orders will be accepted on a ship and cancel basis, unless otherwise requested. Displays, assortments and special items WILL be back-ordered unless otherwise stated.

## FREIGHT

The routing of ALL shipments shall be entirely within the discretion of Hillman. Special shipping requests – airfreight – bus shipments – special dispatch – drop shipments, etc. – will be sent freight collect and will be F.O.B. shipping point. Long length rods, angles, flats, etc. will be shipped F.O.B. shipping point on shipments of 300 lbs. or less. Orders less than \$250.00 will be charged freight. Handling charges will be as follows: Orders less than \$250.00 are subject to a \$1.00 handling charge. Orders over \$250.00 are subject to a \$4.00 handling charge. As economic circumstances dictate, a fuel surcharge may be assessed in addition to freight and handling on all orders. Freight terms are subject to change without prior notice.

## SPECIAL ORDERS AND ORDERS FOR NON-STOCKING PRODUCT

Special orders are non-cancelable, non-returnable and must be ordered via a purchase order from the Purchaser. All special orders will be shipped in accordance with quoted lead times and at industry standard  $\pm 10\%$  of the order quantity. Purchaser is liable for the entire order quantity.

## CLAIMS AND DAMAGES

All damages and shortages must be reported to us within five days after receipt of merchandise. If goods are damaged in transit or shortages received, notification should be made directly with carriers. Before reporting shortages, please check to make sure packing slip indicates shorted items have been shown as being shipped.

## LIMITATIONS OF LIABILITY

All goods returned to and accepted by Hillman as defective or incorrect shall be replaced or credited in full. No claim made hereunder by the Purchaser, whether as to goods delivered or for non-delivery, shall be greater than the purchase price of the goods in respect of which such claim is made. PURCHASER WAIVES ANY CLAIM AGAINST HILLMAN FOR DIRECT, INDIRECT, SPECIAL, EXEMPLARY, PUNITIVE, COMPENSATORY, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS AND BUSINESS INTERRUPTION, WHICH MAY RESULT FROM YOUR PURCHASE AND/OR USE OF THE PRODUCTS. HILLMAN MAKES NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY AND NO OTHER WARRANTY, ORAL OR WRITTEN, EXPRESSED OR IMPLIED, EXCEPT AS SPECIFICALLY SET FORTH HEREIN. Purchaser agrees to indemnify and hold Hillman harmless from all claims, demands, and costs, including reasonable attorneys' fees, made by third parties against Hillman relating to Purchaser's use of the products, and to pay any costs and expenses incurred by Hillman to enforce Purchaser's obligations, including, without limitation, the costs of collection for any unpaid amounts owed to Hillman by Purchaser.

## COSTS

Any and all costs resulting from, or incurred in connection with the collection of any monies due from the Purchaser, including court costs, appellate court costs, and Hillman's reasonable attorney's fees will be the responsibility of the Purchaser.

## ELECTRONIC DATA INTERCHANGE

If Hillman and Purchaser have mutually agreed to use an Electronic Data Interchange (EDI) system to facilitate purchase and sale transactions, Purchaser agrees: that it will not contest (i) any contract of sale resulting from an EDI transaction under the provisions of any law relating to whether agreements must be in writing or signed by the party to be bound thereby; or (ii) the admissibility of copies of EDI records under the business records exception to the hearsay rule, the best evidence rule or any other similar rule, on the basis that such records were not originated or maintained in documentary form. Hillman and Purchaser will negotiate and agree on technical standards and methods to use in making EDI purchases, and will use proper security procedures to protect EDI records from improper access. The business records maintained by Hillman regarding EDI purchases made by Purchaser shall be controlling.

## TAXES

All applicable federal, state or local sales, use, occupational or excise taxes are the responsibility of the Purchaser and shall be in addition to the price or prices stated. Hillman shall have the right to invoice separately any such tax as may be imposed at a later time. Applicable tax exemption certificates must accompany any order to which the same applies.

## CONFIDENTIALITY

Purchaser will hold any information concerning Hillman's business, or any other information about Hillman, in absolute and strict confidence.

## APPLICABLE LAW

This Agreement shall be governed by and construed in accordance with the laws of the State of Ohio, without regard to its choice of law provisions, and the sole jurisdiction and venue for any litigation arising with regard to this Agreement shall be an appropriate federal or state court located in Hamilton County, Ohio.


## SEVERABILITY

If any provision of this Agreement is held to be invalid, illegal, or unenforceable in any respect, the validity, legality, or enforceability of the remaining provisions contained herein shall not in any way be affected or impaired thereby.









**Southeast Distribution Center**  
Jacksonville, Florida

**Southwest Distribution Center**  
Dallas, Texas

**Western Distribution Centers**  
Bakersfield, California  
Rialto, California

**Distribution & Manufacturing**  
Tempe, Arizona

**Canada Distribution Center**  
Pickering, ON

**Mexico Distribution Center**  
Monterrey, Mexico

**All Points Division**  
Pompano Beach, Florida

**Corporate Office & Midwest/  
Northeast Distribution Center**  
Cincinnati, Ohio (800) 800-4900



OZCOBuildingProducts.com

OZCO Connects on Social Media, Join Us



**HILLMAN™**

OZCO is a Division of The Hillman Group  
10590 Hamilton Ave.  
Cincinnati, OH 45231  
(800) 800-4900  
www.hillmangroup.com



20031-1  
7/21